View NSN Online: https://aerobasegroup.ae/nsn/6505-01-149-3138

Product ID:M.T.E.4 30 ML MSDS Date:01/01/1994 FSC:6505 NIIN:01-149-3138 MSDS Number: BXXPV === Responsible Party === Company Name: FUJISAWA USA INC (LYPHOMED INC) Address:3 PARKWAY NORTH City:DEERFIELD State:IL ZIP:60015-2548 Country:US Info Phone Num:800-727-7003/708-317-8800 **Emergency Phone N** um:708-317-8202 Preparer's Name: CHRISTINA J BARRINGTON CAGE:24832 === Contractor Identification === Company Name: FUJISAWA USA INC (LYPHOMED INC) Address:3 PARKWAY NORTH City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:800-727-7003/708-317-8800 CAGE:24832 Company Name: FUJISAWA USA, INC Address:3 PKY N Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:847-317-1256 CAGE:39832

Ingred Name:BENZYL ALCOHOL CAS:100-5

1-6 RTECS #:DN3150000 Fraction by Wt: 0.9%

Ingred Name:CHROMIUM CHLORIDE CAS:10025-73-7 RTECS #:GB5425000 OSHA PEL:0.5 MG/CUM ACGIH TLV:0.5 MG/CUM

Ingred Name:COPPER SULFATE, BASIC CAS:7758-98-7 RTECS #:GL8800000 OSHA PEL:1 MG/CUM ACGIH TLV:1 MG/CUM (CU) EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:MANGANESE SULFATE, MANGANESE SULPHATE CAS:7785-87-7 RTECS #:OP1050000 Other REC Limits:5 MG/CUM OSHA PEL:5 MG/CUM ACGIH TLV:5 MG/CUM

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

Ingred Name:ZINC SULFATE CAS:7733-02-0 RTECS #:ZH5260000 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IMMEDIATE EFFECTS: EYE, SKIN & RESPIRATORY IRRITATION MAY OCCUR. Explanation of Carcinogenicity:NONE Effects of Overexposure:IMMEDIATE EFFECTS: EYE, SKIN & RESPIRATORY IRRITATION MAY OCC UR. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & RESPIRATORY CONDITIONS.

======================================
First Aid:INHALATION: MOVE TO FRESH AIR. GIVE CPR IF REQUIRED. INGESTION: FLUSH MOUTH OUT W/WATER. SKIN: FLUSH AREA W/WATER FOR 15 MINS. EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point Method:CC Flash Point: >200F Extingui shing Media:WATER SPRAY, DRY CHEMICAL, CO2/FOAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.
======================================
Spill Release Procedures:WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. USE ABSORBENT TOWELS/BOOMS TO CLEAN UP. WIPE SURFACES CLEAN & WASH W/SOAP & WATER.
======================================
Handling and Storage Precautions:WHEN HANDLING PHARMACE UTICAL PRODUCTS, AVOID CONTACT/INHALATION OF DUST, FUMES, MIST/VAPORS ASSOCIATED W/PRODUCT.
======================================
Respiratory Protection:NONE USUALLY REQUIRED W/SATISFACTORY VENTILATION. Ventilation:GENERAL ROOM USUALLY SATISFACTORY. LOCAL EXHAUST WHEN NECESSARY. Protective Gloves:DISPOSABLE LATEX Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:DISPOSABLE GARMENTS Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED

CLOTHING BEFORE REUSE. Supplemental Safety and Health PH: 1.5-2.5. THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY WHEN PRESCRIBED BY A PHYSICIAN.
======================================
pH:SUPP Solubility in Water:COMPLETE Appearance and Odor:CLEAR, GREENISH-BLUE SOLUTION W/NO ODOR
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:FREEZING Hazardous Decomposition Products:SMOKE & SULFUR OXIDES
======================================
Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.