

DEVCON CORP -- PUTTY HARDENER 0200,PART B -- 8030-00-333-4534

=====
Product Identification
=====

Product ID:PUTTY HARDENER 0200,PART B

MSDS Date:03/01/1987

FSC:8030

NIIN:00-333-4534

Kit Part:Y

MSDS Number: BXZGM

=== Responsible Party ===

Company Name:DEVCON CORP

Address:30 ENDICOTT ST

City:DANVERS

State:MA

ZIP:01923-3753

Country:US

Info Phone Num:617-777-1100

Emergency Phone Num:617-777-1100

Prep

Preparer's Name:NONE

CAGE:16059

=== Contractor Identification ===

Company Name:DEVCON CORP

Address:30 ENDICOTT ST

Box:City:DANVERS

State:MA

ZIP:01923-3753

Country:US

Phone:1-508-777-1100

CAGE:16059

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIETHYLENE TETRAMINE (TETA)

CAS:112-24-3

RTECS #:YE6650000

Minimum % Wt:30.

Maximum % Wt:60.

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYAMIDE RESIN

CAS:12624-35-0

Minimum % Wt:30.

Maximum % Wt:60.

Other REC Limits:

NONE RECOMMENDED

Ingred Name:AMINOETHYL PIPERAZINE ADDUCT

CAS:70776-30-6

Minumum % Wt:10.

Maxumum % Wt:30.

Other REC Limits:NONE RECOMMENDED

Ingred Name:AMINOETHYL PIPERAZINE (AEP)

CAS:140-31-8

RTECS #:TK8050000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 2140 MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:N

O OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: SEVERE IRRITATION OR BURNS. SKIN: SEVERE IRRITATION OR BURNS. POSSIBLE ALLERGIC RESPONSE. INHALATION: RESPIRATORY IRRITATION. POSSIBLE ALLERGIC RESPONSE. INGESTION: CORROSIVE TO MUCOUS ME MBRANES. CHRONIC: POSSIBLE SENSITIZATIONFROM REPEATED SKIN CONTACT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION, BURNS. SKIN: IRRITATION, BURNS, ALLERGIC RESPONSE, SENSITIZATION. INHALATION: RESPIRATORY IRRITATION, ALLERGIC RESPONSE. INGESTION: CORROSIVE TO MUCOUS MEMBRANES.

Medical Cond Aggravated by Exposure:ASTHMA, BRONCHITIS.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATE IRRIGATION WITH WATER FOR AT LEAST 30 MINUTES IS IMPERATIVE. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WARM WATER. IF IRRITATION PERSISTS GET M EDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERS

IST, GET MEDICAL ATTENTION. INGESTION: CORROSIVE. DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER OR MILK. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

===== Accident
al Release Measures =====

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. REMOVE CONTAMINATED CLOTHING. DISCARD CONTAMINATED LEATHER ARTICLES SUCH AS SHOES AND BELTS. ABSORB SPILLAGE ON INERT MATERIAL AND DISCARD TO SUITABLE CONTAINERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP HANDS AWAY FROM EYES WHEN HANDLING MATERIAL OR BEFORE WASHING AFTER USE.

Other Precautions:WASH THOROUGHLY AFTER USING,PARTICULARLY BEFORE EATING OR SMOKING. PROLONGED OR REPEATED OVEREXPOSURE MAY CAUSE SENSITIZATION AND ALLERGIC RESPONSE. AFFECTED PERSONS SHOULD CONSULT PHYSICIAN. IF CONFIRMED,AVOID FURTHER EXPOSURE TO MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IN NORMAL USE WITH PROPER VENTILATION. IN POORLY VENTILATED AREAS, USE NIOSH APPROVED ORGANIC VAPOR MASKS.

Ventilation:LOCAL EXHAUST RECOMMENDED FOR PROLONGED OR REPEATED USE.EFFECTIVE MECHANICAL VENTILATION IS ADEQUATE FOR OCCASIONAL USE.

Protective Gloves:CHEMICAL RESISTANT RUBBER GLOVES.

Eye Protection:SPLASH PROOF GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safet

y and Health

KEY1: C2. THIS ENTRY DESCRIBES PART B OF A TWO PART KIT. SEE THIS SAME
NSN, P/N IND C, FOR PART A DATA.

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:=232.2C, 450.F

Vapor Pres:1

Spec Gravity:0.98

pH:10-11

Evaporation Rate & Reference: