View NSN Online: https://aerobasegroup.ae/nsn/7930-01-412-2430

STARCO CHEMICAL DIVISION DIAMOND CHEMICAL CO. INC. -- SUPER SEAL -- 7930-01-412-2430

Product ID:SUPER SEAL MSDS Date:05/13/1994 FSC:7930 NIIN:01-412-2430 **MSDS Number: BYCHS** === Responsible Party === Company Name: STARCO CHEMICAL DIVISION DIAMOND CHEMICAL CO. INC. Address: UNION AVE. & DUBOIS ST. City:EAST RUTHERFORD State:NJ ZIP:07073 Country:US Info Phone Num:201-935-4300 Emergency Phone Num:800-535-5053 (INFOTRAC) CAGE: JO451 === Contractor Identification === Company Name: DIAMOND CHEMICAL COMPANY, INC Address: UNION AVENUE AND DUBOIS STREET Box:City:EAST RUTHERFORD State:NJ ZIP:07073 Country:US Phone:201-935-4300 CAGE:3R223 Company Name:STARCO CHEMICAL Address: PAGE & SCHUYLER AVES Box:City:LYNDHURST State:NJ ZIP:07071 Country:US Phone:201-935-4300 CAGE: JO451

Ingred Name:NONE PER 29 CFR

1910.1200.	
Other REC Limits:NONE	RECOMMENDED

======================================	
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:REPEATED EXPOSURE MAY CAUSE IRRITATION. Explanation of Carcinogenicity:NO Medical Cond Aggravated by Exposure:NO INFO	
======================================	
First Aid:INHALATION: REMOVE TO FRESH AIR. CALL PHYSICIAN. EYES: FLUSH W/WATER 15 MINUTES. CALL PHYSICIAN. SKIN: WASH W/WATER. INGESTION: DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES WATER. CALL PHYSICIAN.	
======================================	
Autoignition Temp:Autoignition Temp Text:NKNE Extinguishing Media:WATER, CO2, FOAM, DRY CHEMICAL. Fire Fighting Procedures:WEAR SCBA. Unusual Fire/Explosion Hazard:NONE	
======================================	
Spill Release Pro cedures:USE ABSORBENT ON EXCESS. SWEEP ABSORBENT & PLACE INTO CLOSED CONTAINER. FLUSH AREA W/WATER.	
======================================	
Handling and Storage Precautions:STORE IN COOL DRY PLACE. Other Precautions:NONE	
======================================	
Respiratory Protection:NONE NEEDED IN NORMAL USE. Ventilation:LOCAL EXHAUST ADEQUATE. MECHANICAL EXHAUST NONE. Protective Gloves:RUBBER OR PLASTIC.	

Eye Protection:SPLASH PROOF

GOGGLES. Other Protective Equipment:NONE NEEDED IN NORMAL USE. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:212F,100C Vapor Density:NA Spec Gravity:NA Evaporation Rate & amp; Reference:NA Solubility in Water:COMPLETE Appearance and Odor:WHITE OPAQUE LIQUID, CHARACTERISTIC ODOR Percent Volatiles by Volume:NA

Stability Indicator/Materials to Avoid:Y ES CATIONICS Stability Condition to Avoid:NONE Hazardous Decomposition Products:OXIDES OF CARBON

Waste Disposal Methods: IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informa tion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.