

L AND R MFG CO -- WATCH RINSING SOLUTION,3

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 00-270-9971
MSDS Date: 02/04/1997
MSDS Num: BYCLH
Product ID: WATCH RINSING SOLUTION,3
MFN: 02
Responsible Party
Cage: 17656
Name: L AND R MFG CO
Address: 577 ELM
City: KEARNY NJ 07032-3604
Info Phone Number: 201-991-5330/FAX -5870
Emergency Phone Number: 201-991-5330
=====

=====
Item Description Information
=====

Item Manager: S9G
Item Name: RINSING SOLUTION,WATCH
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: GL
UI Container Qty: 6
Type of Container: PLASTIC BOTTL
=====

=====
Ingredients
=====

=====
Cas: 8052-41-3
RTECS #: WJ8925000
Name: STODDARD SOLVENT
% low Wt: 70.
% high Wt: 80.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM; 9596

Cas: 8032-32-4
RTECS #: OI6180000
Name: VM&P NAPHTHA (LIGROINE)
% low Wt: 20.
% high Wt: 30.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 300 PPM
ACGIH TLV: 300 PPM; 9596

RTECS #: 9999999VC
Name: VOLATILE ORGANIC CONTENT AS LISTED ON MSDS: 759.8 G/L OR 6.34 LBS/GA

L
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT RELEVANT
ACGIH TLV: NOT RELEVANT

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE EYES: DIRECT CONTACT CAUSES IRRITATION, REDNESS AND POSSIBLE TEARING. ACUTE SKIN:PROLONGE D OR REPEATED CONTACT CAUSES REDNESS ABD DRYING OF T

HE SKIN. ACUTE INHALATION:BREATHING HIGH CONCENTRATI ONS OF VAPORS MAY CAUSE IRRITATION TO THE NOSE AND DROWSINESS. ACUTE INGESTION:NOT KNOWN, BUT EXPECTED TO CAUSE NAUSEA AND DIARRHEA. CHRONIC EFFECTS:THIS PRODUCT DOES NOT CONTAIN ANY INGRESIENT DESIGN ATED BY IARC, NTP, ACGIH OR OSHA AS PROBABLE OR SUSPECTED HUMAN CARCINOGENS.

Explanation Of Carcinogenicity: THIS PRODUCT DOES NOT CONTAIN ANY INGREDIENT DESIGNED BY IARC, NTP, ACGIH OR OSHA AS POSSIBLE OR SUSPECTED HUMAN CARCINOGENS.

Signs And Symptions Of Overexposure: ACUTE EYES: DIRECT CONTACT CAUSES IRRITATION, REDNESS AND POSSIBLE TEARING. ACUTE SKIN:PROLONGE D OR REPEATED CONTACT CAUSES REDNESS ABD DRYING OF THE SKIN. ACUTE INHALATION:BREATHING HIGH CONCENTRATI ONS OF VAPORS MAY CAUSE IRRITATION TO THE NOSE AND DROWSINESS. ACUTE INGESTION:NOT KNOWN, BUT EXPECTED TO CAUSE NAUSEA AND DIARRHEA.

Medical Cond Aggravated By Exposure: SKIN CONTACT MAY AGGREVATE EXISTING SKIN DISEASE.

First Aid: EYE EXPOSURE:HOLD

EYELIDS OPEN AND FLUSH WITH A STEADY, GENTLE

STREAM OF WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION. SKIN:WASH THOROUGHLY WITH WATER. IF IRRITATION OR REDNESS DEVELOPS, SEEK MEDICAL ATTENTION. INHALATION:IF RESPIRATORY IRRITATION OR DISTREASS OCCURS, MOVE VICTIM TO FRESH AIR. SEEK MEDICAL ATTENTION IF RESPIRATORY IRRITATION OR DISTRESS CONTINUES. INGESTION:SEEK IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING.

=====
Handl

ing and Disposal

=====
Spill Release Procedures: VENTILATE AREA OF SPILL, USE NON-REACTIVE MATERIAL TO PICK UP SPILL. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Waste Disposal Methods: THIS MATERIAL IS A FLAMMABLE LIQUID AND MUST BE DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS. IT CANNOT BE DISPOSED OF IN A SANITARY SEWER SYSTEM.

Handling And Storage Precautions: MINIMUM/MAXIMUM STORAGE TEMPERATURE: 39 TO 100 F. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.

=====
Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point: =30.C, 86.F

Flash Point Text: 86-88 F

Lower Limits: NO DATA

Upper Limits: NO DATA

Extinguishing Media: EXTINGUISH WITH DRY CHEMICAL, CARBON DIOXIDE (CO2), OR A BC/ABC EXTINGUISHER.

Fire Fighting Procedures: NONE KNOWN.

Unusual Fire/Explosion Hazard: PRODUCT WILL BURN UNDER FIRE CONDITIONS. CLOSED

CONTAINERS MAY EXPLODE DUE TO BUILDUP OF PRESSURE WHEN EXPOSED TO EXTREME HEAT. HAZARDOUS DECOMPOSITION MATERIALS:(UNDER FIRE CONDITIONS) OXIDES OF NITR OGEN AND CARBON.

=====
Control Measures

Respiratory Protection: FOR REASONABLE USES OF THIS MATERIAL, RESPIRATORY PROTECTION SHOULD NOT BE NECESSARY.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: RUBBER OR PLASTIC GLOVES

Eye Protection: SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Work Hygienic Practices: NORMAL HYGIENE IN THE WORK AREA SHOULD BE TAKEN WHEN WORKING WITH OR HANDLING THIS PRODUCT.

Supplemental Safety and Health: FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE MFN 1, SAME NSN & CAGE.

=====
Physical/Chemical Properties

HCC: F3

Boili

ng Point: >100.C, 212.F

Vapor Pres: N/E

Vapor Density: N/E

Spec Gravity: 0.81

VOC Pounds/Gallon: 5.67

PH: N/E

Solubility in Water: NIL

Appearance and Odor: WATER WHITE; BLAND SOLVENT ODOR

Percent Volatiles by Volume: 100

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, OPEN FLAME.

Materials To Avoid: STRONG ACIDS

Hazardous Decomposition Products: OXIDES
OR CARBON AND NITROGEN.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

Toxicological Information: ACUTE EYE IRRITATION: IRRITATING TO THE ETES. ACUTE
SKIN IRRITATION: NO TRST DATA FOUND FOR THE PRODUVT. ACUTE DERMAL TOXICITY:
NO TEST DATA FOUND FOR THE PRODUCT. ACUTE RESPIRATORY IRRITATION: NO TES T
DATA FOUND

FOR THE PRODUCTACUTE INHALATION TOXICITY: NO TEST DATA FOUND FOR
THE PRODUCTACUTE ORAL TOXICITY: LD50 (RAT): >5 GM/KG FOR STODDARD SOLVENT.
LD50 (RAT): >5 GM/KG FOR VM & P NAPHTHA. CHRONI C TOXICITY: THIS
PRODUCT DOES NOT CONTAIN ANY SUBSTANCES THAT ARE CONSIDERED BY OSHA, NTP,
IARC OR ACGIH TO BE A PROBABLE OR SUSPECTED HUMAN CARCINOGENS.

=====
Ecological Information
=====

Eco
logical: ECOTOXICOLOGICAL INFORMATION: NO DATA FOUND.

=====
MSDS Transport Information
=====

Transport Information: THIS PRODUCT IS CLASSIFIED AS A FLAMMABLE LIQUID FOR
DOMESTIC SHIPMENTS PER 49 CFR. FOR DOMESTIC GROUND SHIPMENTS OF ANY CONTAINER
OF 1 GALLON OR LESS,THIS MATERIAL IS LISTED AS ORM-D. FOR ALL OTHER C
ONTAINERS: COMPOUNDS, CLEANING LIQUID (CONTAINS NAPHTHA PETROLEUM), 3, NA1993

PACKING GROUP II.

Regulatory Information

Sara Title III Information: SARA TITLE III HAZARD CLASS: FIRE HAZARD: YES;
REACTIVE HAZARD: NO; RELEASE OF PRESSURE. NO. CHRONIC HEALTH PROBLE: NO.
Federal Regulatory Information: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON
THE US TSCA CHEMICAL LISTINGS.

Other Information

Other Information: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE CANADIAN
DSL, EINECS/ELINS CHEMICAL LISTINGS.

Transportation Information

Responsible Party Code: 17656
Trans ID NO: 64563
Product ID: WATCH RINSING SOLUTION,3
MSDS Prepared Date: 02/04/1997
Review Date: 02/24/2000
MFN: 2
Tech Entry NOS Shipping Nm: NAPHTHA, PETROLEUM

Net Unit Weight: 6.723 LBS
Limited Quantity IND: Y
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 6
Type Of Container: PLASTIC BOTTLE
Additional Data: PROPER SHIPPING NAME, HAZARD CLASS PER CTDF. PER MSDS: FOR
DOMESTIC GROUND SHIPMENTS OF ANY CONTAINER OF 1 GALLON OR LESS, THIS MATERIAL
IS LISTED AS ORM-D. FOR ALL OTHER CONTAINERS: COMPOUNDS, CLEANING LIQUID
(CONTAINS NAPHTHA, PETROLEUM), 3, NA1993, PG II.

Detail
DOT Information

DOT PSN Code: GJL
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN1993
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1, B52, T7, T30
Packaging Exception: 150
Non Bulk Pack: 203
Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

Detail IMO Information

=====

IMO PSN Code: HIA
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3345
UN Number: 1993
UN Hazard Class: 3.3
IMO Packaging Group: III
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: T

=====

Detail IATA Information

=====

IATA PSN CA
IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA UN Class: 3
IATA Labe
I: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI PSN CA
AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Hazard Class: 3
AFI UN ID NUM: UN1993
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

=====

=====

HAZCOM Label

=====

Product ID: WATCH RINSING SOLUTION,3
Cage: 17656
Company Name: L AND R MFG CO
Street: 577 ELM
City: KEARNY NJ
Zipcode: 07032-3604
Health Emergency Phone: 201-991-5330
Label Required IND: Y
Date Of Label Review: 02/24/2000
Status Code: C
Label Date: 11/04/1998
Year Procured: 2000
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: NO
Health H

azard: Slight
Contact Hazard: Slight
Fire Hazard: Severe
Reactivity Hazard: None

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.