

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- PURGE FLOOR FINISH  
RELIQUIFIER #1055 -- 7930-01-381-3498

===== Product Identification =====

Product ID: PURGE FLOOR FINISH RELIQUIFIER #1055

MSDS Date: 03/10/1995

FSC: 7930

NIIN: 01-381-3498

MSDS Number: BYCVL

=== Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address: 401 N 10TH ST

City: PHILADELPHIA

State: PA

Z

IP: 19123-3803

Country: US

Info Phone Num: 215-922-1200

Emergency Phone Num: 215-922-1200

Preparer's Name: F.C.

CAGE: 93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address: 401 N 10TH ST

Box: City: PHILADELPHIA

State: PA

ZIP: 19123-3803

Country: US

Phone: 215-922-1200

CAGE: 93607

===== Composition/Information on Ingredients =====

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDE

D

Ingred Name:2-AMINO ETHANOL  
CAS:141-43-5  
RTECS #:KJ5775000  
Fraction by Wt: PROP.  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:3 PPM  
ACGIH TLV:3 PPM

Ingred Name:2-BUTOXYETHANOL  
CAS:111-76-2  
RTECS #:KJ8575000  
Fraction by Wt: PROP.  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:25 PPM  
ACGIH TLV:25 PPM

Ingred Name:XYLENESULFONIC ACID, SODIUM SALT  
CAS:1300-72-7  
Fraction by Wt: PROP  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE  
CAS:1310-73-2  
RTECS #:WB4900000  
Fraction by Wt: PROP.  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:2 MG/M3  
ACGIH TLV:2 MG/M3  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:CAUSES SKIN/EYE IRRITATION. HARMFUL IF  
SWALLOWED. MAY CAUSE SEVERE MUCOSAL DAMAGE & GASTRIC DISTRESS. MAY  
CAUSE SYSTEMIC INTOXICATION.  
Medical Cond Aggravated by Exposure:CAUSES SKI

N IRRITATION AGGRAVATING

DERMATITIS & INHALATION MAY IRRITATE EXISTING BRONCHIAL CONDITIONS.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID.  
SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL  
AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, WHITE, GELATIN,  
OR IF N OT AVAILABLE GIVE LARGE QUANTITIES WATER. GET MEDICAL AID.

=====  
Fire Fighting Measures ==  
=====

Flash Point Method:TOC  
Flash Point:NONE TO BOILING  
Lower Limits:NA  
Upper Limits:NA  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR  
SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS  
OF SLIPPERY FLOORS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE BETWEEN 40-120F.  
Oth  
er Precautions:THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE  
REUSE. KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY  
SERVICE PERSONNEL ONLY.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT REQUIRED  
Ventilation:LOCAL  
Protective Gloves:RUBBER OR LATEX  
Eye Protection:GOGGLES/SAFETY GLASSES W/SHIELDS.  
Other Protective Equipment:RUBBER BOOTS SHOULD BE WORN IF WORKING IN  
STANDING SOLUTIONS.  
Supplemental Safety and Health  
NK

=

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:=WATER

Vapor Density:=WATER

Spec Gravity:1.035

pH:13.6

Evaporation Rate & Reference:=WATER

Solubility in Water:DISPERSES

Appearance and Odor:CLEAR, THIN, BLUE LIQUID, SASSAFRAS SCENT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS & OXIDIZERS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:

CARBON OXIDES & AMINES

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any persons

utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.