View NSN Online: https://aerobasegroup.ae/nsn/6750-01-400-2869

IRIS GRAPHICS, INC. -- YELLOW WRITING FLUID -- 6750-01-400-2869

============ Product Identification ==============

Product ID:YELLOW WRITING FLUID

MSDS Date:10/20/1993

FSC:6750

NIIN:01-400-2869

MSDS Number: BYCYB === Responsible Party ===

Company Name: IRIS GRAPHICS, INC.

Address:SIX CROSBY DRIVE

City:BEDFORD

State:MA ZIP:01730 Country:US

Info Phone Num:617-275-8777

Emergency Phone Num:617-275-8777

CAGE:0RFX6

===

Contractor Identification ===

Company Name: IRIS GRAPHICS, INC.

Address:SIX CROSBY DRIVE

Box:City:BEDFORD

State:MA ZIP:01730 Country:US

Phone:617-275-8777

CAGE:0RFX6

======= Composition/Information on Ingredients ========

Ingred Name:LIQUID DYE SOLUTION

Fraction by Wt: 1.5-4%

Other REC Limits: NONE RECOMMENDED


Ingred Name: GLYCERIN (GLYCEROL)

CAS:56-81-5

RTECS #:MA8050000 Fraction by Wt: 12-18%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 (MIST) ACGIH TLV:10 MG/M3 (MIST);949



SOAK UP SPILLAGE AND PLACE IN A DISPOSAL CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============ Handling and Storage ==============
Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID INHALATION OF MISTS. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. STORE ABOVE 0F. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:FOR MOST CONDITIONS NO RESP IRATORY PROTECTION SHOULD BE NEEDED. IN CONDITIONS WHERE MIST EXPOSURE GUIDELINES IS EXCEEDED, WEAR AN APPROVED DUST/MIST RESPIRATOR. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT TO CONTROL AIRBORNE LEVELS. Protective Gloves:WEAR RUBBER GLOVES. Eye Protection:WEAR SAFETY GLASSES OR GOGGLES. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE RESUE. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NOT A DOT HAZARDOUS MATERIAL.
======== Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text: