View NSN Online: https://aerobasegroup.com/nsn/6810-00-052-1371

VAN WATERS & ROGERS INC. SUB. OF UNIVAR -- METHYL ISOBUTYL KETONE -- 6810-00-052-1371

Product ID:METHYL ISOBUTYL KETONE

MSDS Date:01/31/1990

FSC:6810

NIIN:00-052-1371

MSDS Number: BYDHT === Responsible Party ===

Company Name: VAN WATERS & ROGERS INC. SUB. OF UNIVAR

Address:1600 NORTON BLDG.

City:SEATTLE State:WA

ZIP:98104-1564 Country:US

Info Phone Num:408-435-87

00

Emergency Phone Num:408-435-8700/800-424-9300(CHEMTREC)

CAGE:6E838

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name: VAN WATERS & ROGERS INC. SUB. OF UNIVAR

Address:1600 NORTON BLDG.

Box:City:SEATTLE

State:WA

ZIP:98104-1564

Country:US

Phone: 408-435-8700/800-424-9300 (CHEMTREC)

CAGE:6E838

====== Composition/Information on Ingredient

Ingred Name: METHYL ISOBUTYL KETONE (HEXONE) (SARA 313) (CERCLA)

CAS:108-10-1

RTECS #:SA9275000 Fraction by Wt: >99%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:50 PPM/75 STEL: 9495

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=========== Hazards Identification ==========================

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 2080 MG/KG (RTECS).

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Heal

th Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, CNS, LIVER, KIDNEY. ACUTE- MAY CAUSE EYE & RESPIRATORY TRACT IRRITATION, SKIN DRYNESS, NAUSEA, VOMITING. INHALATION OF VERY HIGH CONCENTRATIONS MAY CAUSE CNS EFFECTS, KIDNEY & LIVER DAMAGE. MODERATELY TOXIC BY INGESTION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DERMATITIS. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: IRRITATION, TEARING, SKIN DEFATING, DERMATITIS, NAUSEA, HEADACHE, DI

ZZINESS, VOMITING, UNCONSCIOUSNESS, COMA

Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING DISEASES INVOLVING THE EYES, SKIN OR LUNGS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO N OT INDUCE VO

MITING, KEEP AT REST, CALL PHYSICIAN.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:61.0F,16.1C

Lower Limits:1.2 **Upper Limits:8.0**

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRES

SURE MODE. Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP. ======== Accidental Release Measures ============ Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION, VENTILATE AREA, CONTAIN SPILL, PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT MATERIAL SUCH AS SAND, PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQU ID FROM ENTERING SEWERS. WATERWAYS OR LOW AREAS. Neutralizing Agent:NOT RELEVANT ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA AWAY FROM IGNITION SOURCES AND INCOMPATIBLE MATERIALS. Other Precautions: "EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, THEY MAY EXPLODE AND CAUSE INJURY/DE ATH. KEEP OUT OF REACH OF CHILDREN. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF ENGINEERING CONTROLS ARE INADEQUATE TO CONTROL VAPOR CONCENTRATIONS TO AN ACCEPTABLE LEVEL. A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR SHOULD BE WORN. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: RUBBER OR PVA Eve Protection: SAFETY G

LASSES - CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING.

Supplemental Safety and Health

NOTE TO PHYSICIAN: IF VICTIM IS A CHILD, GIVE NO MORE THAN 1 GLASS OF WATER AND 15 ML (1 TABLESPOON) SYRUP OF IPECAC. IF SYMPTOMS SUCH AS LOSS OF GAG REFLEX,

CONVULSION OR UNCONSCIOUSNESS OCCUR BEFORE EMESIS, GASTRIC LAVAGE SHOULD BE CONSIDERED FOLLOWING INTUBATION WITH A CUFFED ENDOTRACHEAL TUBE.

======== Physical/Chemical Properties =========
HCC:F2 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:241F,116C
Melt/Freeze Pt:M.P/F.P Text:-119F,-84C Decomp Temp:Decomp Text:NOT KNOWN
Vapor Pres:15 @ 68F Vapor Density:3.5 Spec Gravity:0.8015
Viscosity:NOT RELEVANT Evaporation Rate & Description Reference: 1.6 (N-BUTYL ACETATE=1
Solubility in Water:MODERATE
Appearance and Odor:CLEAR COLORLESS LIQUID WITH SHARP ODOR Percent Volatiles by Volume:100
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OPEN FLAMES, STATIC ELECTRICITY Hamandaya Basarra stition Bradwate CARRON MONOYIDE, CARRON BIOYIDE
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, UNIDENTIFIED ORGANIC COMPOUNDS IN BLACK SMOKE
========= Disposal C onsiderations ====================================

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. RECOMMENDED PROCEDURE IS BY INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.