View NSN Online: https://aerobasegroup.ae/nsn/6550-01-360-2122 POLYSCIENCES, INC. -- FORMALDEHYDE -- 6550-01-360-2122 ============ Product Identification ========================= Product ID:FORMALDEHYDE MSDS Date:06/26/1989 FSC:6550 NIIN:01-360-2122 MSDS Number: BYFCN === Responsible Party === Company Name: POLYSCIENCES, INC. Address: 400 VALLEY ROAD City:WARRINGTON State:PA ZIP:18976 Country:US Info Phone Num:215-343-6484 Emergency Phone Num:215-343-6484 CAGE:32939 === Contractor Identif ication === Company Name: POLYSCIENCES INC Address:400 VALLEY RD Box:City:WARRINGTON State:PA ZIP:18976 Country:US Phone:215-343-6484 CAGE:32939 ======= Composition/Information on Ingredients ======== Ingred Name: FORMALDEHYDE CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 10% Other REC Limits: NONE RECOMMENDED OSHA PEL:200 PPM

ACGIH TLV:200 PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

============= Hazards Identification ========================

Routes of Entry: Inhalation:YE

S Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITANT. SENSITIZER. LACHRYMATOR. HIGHLY TOXIC. MUTAGEN. Explanation of Carcinogenicity:SUSPECTED CARCINOGEN (ACGIH), ANIMAL SUFFICIENT EVIDENCE (AIRC), HUMAN INADEQUATE EVIDENCE (IARC). Effects of Overexposure:IRRITATION OF EYES, NOSE, THROAT AND LUNGS. TEARING OF EYES, COUGHING, DIFFICULTY BREATHING, NAUSEA, HEADACHE, OR WEAKNESS. Medical Cond Aggravated by Exposure :INDIVIDUALS WITH PREEXISTING DISEASES OF LUNG AND SKIN MAY BE MORE SUSCEPTIBLE.
======================================
First Aid:SKIN: WASH AFFECTED AREA WITH COPIOUS AMOUNTS OF WATER. REMOVE AND LAUNDER CONTAMINATED CLOTHING BEFORE RESUE. EYE: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN. INHALED: REMOVE TO FR ESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED: DRINK 1 OR 2 GLASSES OF WATER. INDUCE VOMITING.
GIVE ACTIVATED CHARCOAL SLURRY. CALL PHYSICIAN.
======================================
Flash Point Method:CC Flash Point:122F,50C Lower Limits:7 Upper Limits:73 Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL POWDER, FOAM Fire Fighting Procedures:FIREFIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS AND FULLY PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NE
======== Accidental Release Measures ==========
Spill Release Procedures:WEAR SCBA, RUBBER BOOTS AND GLOVES. TURN OFF ALL IGNITION SOURCES. COVER SPILLED MATERIAL WITH SODA ASH, OR DRY LIME, SWEEP UP AND COLLECT FOR DISPOSAL. WASH & VENTILATE SPILL SITE AFTER PICKUP IS COM PLETE. Neutralizing Agent:SODA ASH OR DRY LIME. ===================================

Handling and Storage Precautions:STORE MATERIAL AT ROOM TEMPERATURES.
KEEP STORAGE CONTAINER TIGHTLY CLOSED. AVOID PROLONGED OR FREQUENT EXPOSURE. WA

SH THOROUGHLY AFTER HANDLING. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:OSHA/NIOSH APPROVED RESPIRATOR. Ventilation:FUME HOOD. Protective Gloves:RUBBER. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health FORMALDEHYDE IS AN OSHA REGULATED CARCINOGEN, (HMIS).
========= Physic al/Chemical Properties ==========
HCC:F6 Boiling Pt:>93.C, 199.4F Vapor Pres:17-20 MMHG Vapor Density:1 Spec Gravity:1.08-1.13 Evaporation Rate & Deference:>1 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE. Appearance and Odor:CLEAR, COLORLESS LIQUID, TURNS MILKY WHITE UPON COOLING. PUNGENT ODOR. Percent Volatiles by Volume:98
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES REACTION WITH PHENOL, STRONG ACIDS, OR ALKALIS MAY BE VIOLENT. REACTION WITH HYDROCHLORIC ACID FORM BIS-CHLOROMETHYL. Stability Condition to Avoid:COOL TEMPERATURES. Hazardous Decomposition Products:FORMALDEHYDE GAS IS RELEASED SLOWLY AT ELEVATED TEMPERATURES.
====== Disposal Considerations =========
Waste Disposal Methods:MIX WASTE WITH A COMBUSTIBLE CARRIER AND BURN IN A SUITABLE EQUIPPED CHEMICAL INCINERATOR. DISPOSAL MUST COMPLY WITH

FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.