

PENETONE CORP SUB OF WEST CHEMICAL PRODUCTS INC -- PC-6 -- 6840-00-530-7109

=====  
Product Identification  
=====

Product ID:PC-6

MSDS Date:01/06/1994

FSC:6840

NIIN:00-530-7109

MSDS Number: BYGYK

=== Responsible Party ===

Company Name:PENETONE CORP SUB OF WEST CHEMICAL PRODUCTS INC

Address:74 HUDSON AVENUE

City:TENAFLY

State:NJ

ZIP:07670-1017

Country:US

Info Phone Num:201-567-3000

Emergency Phone Nu

m:201-567-3000 FAX: 201-569-5340

CAGE:56883

=== Contractor Identification ===

Company Name:PENETONE CORP

Address:74 HUDSON AVE

Box:City:TENAFLY

State:NJ

ZIP:07670

Country:US

Phone:201-567-3000

CAGE:56883

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:25 PPM

ACGIH TLV:25 PPM

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

Other REC Limits:NONE RECOMMENDED

==

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE-IRRITATING TO THE EYES ON CONTACT. SKIN-MAY IRRITATE OR DRY THE SKIN & CAUSE DERMATITIS. INHALATION-HIGH VAPOR/AEROSOL CONCENTRATIONS ARE IRRITATING TO THE RESPIRATORY TRACT. INGESTION-MAY CAUSE IRRITATION TO DIGESTIVE TRACT.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:INHALATION-MAY CAUSE HEADACHE, DIZZINESS, ANESTHESIA, DROWSINESS, UNCONSCIOUSNESS AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. INGESTION-MAY CAUSE DIARRHEA.

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS CONDITION.

=====  
===== First Aid Measures =====  
=====

First Aid:EYE-FLUSH EYES WITH LARGE AMOUNTS OF WATER. SEE PHYSICIAN. SKIN-FLUSH SKIN WITH LARGE AMOUNTS OF WATER. REMOVE CONTAMINATED

CLOTHES. IF IRRITATION DEVELOPS, SEE PHYSICIAN. INHALATION-REMOVE PERSON TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. CALL A PHYSICIAN IMMEDIATELY. INGESTION-GIVE PLENTY OF WATER OR MILK. CALL A PHYSICIAN IMMEDIATELY.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:TCC

Flash Point:105F,41C

Extinguishing Media:EITHER ALLOW FIRE TO BURN OUT UNDER CONTROLLED CONDITIONS OR EXTINGUISH WITH WATER, FOAM OR DRY CHEMICAL.

Fire Fighting Procedures:FLAMMABLE LIQUID. CAN FORM FLAMMABLE MIXTURES AT OR ABOVE THE FLASH POINT. COOL EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CONTAINERS CAN RUPTURE AND EXPLODE UNDER FIRE CONDITIONS DUE TO PRESSURE AND VAPOR BUILDUP.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:FOR SMALL SPILLS, USE ABSORBENT MATERIAL SUCH AS TOWELS OR ABSORBENT POWDERS. PUT ALL MATERIALS INTO PROPER WASTE

DISPOSAL CONTAINER WITH LID TIGHTLY COVERED.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. KEEP FROM  
FREEZING. DO NOT STORE NEAR STRONG ACIDS.  
Other Precautions:FLAMMABLE LIQUID.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AN ORGANIC VAPOR MASK SHOULD BE USED IF THE TLV  
IS EXCEEDED AND A PARTICLE MASK IF THE  
PRODUCT IS SPRAYED.  
Ventilation:NONE NEEDED UNDER NORMAL USE CONDITIONS. FOR ENCLOSED  
AREAS, THE USE OF FANS OR OTHER MECHANICAL VENTILATION IS RECOMMED  
Protective Gloves:RUBBER GLOVES ARE RECOMMENDED.  
Eye Protection:SAFETY GLASES ARE RECOMMENDED.  
Other Protective Equipment:WHEN SPRAYING PRODUCT, RUBBER BOOTS, APRONS,  
GAUNTLETS OR RAIN GEAR SHOULD BE WORN DEPENDING ON OPERATION.  
Work Hygienic Practices:WASH AFTER HANDLING.  
Supplemental Safety and Health  
NONE

=====  
===== Physica  
l/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:=WATER  
Vapor Density:=WATER  
Spec Gravity:1  
pH:10-11  
Evaporation Rate & Reference:EQUAL WATER, ACETONE=1  
Solubility in Water:SOLUBLE  
Appearance and Odor:CLEAR BROWN LIQUID WITH PERFUME ODOR.  
Percent Volatiles by Volume: 4

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTU

RER.  
Hazardous Decomposition Products:SMOKE, FUMES AND OXIDES OF CARBON AND  
NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrant  
s this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.