View NSN Online: https://aerobasegroup.ae/nsn/9350-00-082-0665

LAVA CRUCIBLE-REFRACTORIES CO -- LAVALLOY 40M -- 9350-00-082-0665

Product ID:LAVALLOY 40M MSDS Date:11/14/1985 FSC:9350 NIIN:00-082-0665 **MSDS Number: BYHHB** === Responsible Party === Company Name: LAVA CRUCIBLE-REFRACTORIES CO Box:278 City:ZELIENOPLE State:PA ZIP:16063 Country:US Info Phone Num:412-452-6050 CAGE:3N051 === Contractor Identification === **Company Name:** AJAX MAGNETHERMIC CORP Box:UNKNOW CAGE:01179 Company Name: LAVA CRUCIBLE-REFRACTORIES CO Box:278 City:ZELIENOPLE State:PA ZIP:16063 Country:US Phone:412-452-6050 CAGE:3N051

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (SARA 313) CAS:1344-28-1 RTECS #:BD1200000 Fraction by Wt: 10% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:SILICA, CRYSTALLINE - QUARTZ (MFR GAVE CAS# 7

631-86-2-INVALID PER BASE 10 CHECK) CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 0.3% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE TABLE Z-3 ACGIH TLV:0.1 MG/M3 RDUST;9495

Ingred Name:SODIUM SILICATE CAS:1344-09-8 Fraction by Wt: 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Ca rcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: CONTACT MAY CAUSE SKIN IRRITATION AND BURN THE EYES. INHALATION MAY CAUSE BURNS TO RESPIRATORY TRACT. INGESTION MAY CAUSE BURNS TO GI TRACT. CHRONIC: NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:INHALED-SNEEZING, WHEEZING, SHORTNESS OF BREATH, BURNING SEN SATION IN CHEST. SKIN-IRRITATION. EYES-PAIN, BURNING SENSATION, REDNESS, TEARING, SWELLING. INGESTED-BURNING

SENSATION IN MOUTH/THROAT/STOMA CH, STOMACH PAIN, NAUSEA, VOMITING. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED-GET IMMEDIATE MEDICAL ATTENTION. REMOVE FROM EXPOSURE TO FRESH AIR. INGESTED-DO NOT INDUUCE VOMITING! IF CONSCIOUS, GIVE LOTS OF A WATER SOLUTION W/1 PART VINEGAR TO 1 PART WATER. GET IMMEDIAT E MEDICAL ATTENTION. SKIN-FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. EYES-IMMEDIATELY FLUSH EYES WITH LOTS OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

Extinguishing Media:PRODUCT WILL NOT BURN. DLA-HMIS: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: WEAR SELF-CONTAINED BR

EATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SWEEP, SCOOP OR VACUUM DISCHARGED MATERIAL. FLUSH RESIDUE WITH WATER. OBSERVE ENVIRONMENTAL REGULATIONS. Neutralizing Agent:DILUTE ACID (5% ACETIC ACID SOLUTION).

Handling and Storage Precautions:RETAIN DRY EXCESS IN CLOSED SHIPPING CONTAINER OR D RUM. KEEP DRY FOR STORAGE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.13 4 AND MANUFACTURER'S RECOMMENDATIONS.
Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAI
N EXPOSURE BELOW TLV(S).
Protective Gloves: RUBBER.
Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.
Other Protective Equipment: PROTECTIVE CLOTHING SUCH AS A RUBBER APRON.
Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:3002F,1650C Spec Gravity:2.12 Solubility in Wate

r:MODERATE Appearance and Odor: GRAY, DRY POWDER; NO ODOR.

Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:DUSTY CONDITIONS. Hazardous Decomposition Products:WATER VAPOR.

Waste Disposal Methods:NEUTRALIZE WITH DILUTE ACID AND LANDFILL SOLIDS. FLUSH NEUTRALIZED LIQUIDS TO SEWER. DISPOSE OF IAW LOCAL, STATE AND FEDERAL REGU LATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particul

ar situation.