

H B FULLER COMPANY - FOSTER PRODUCTS CORP -- FE-0004-A RESIWELD -- 8040-00-157-8677
===== Product Identification =====

Product ID:FE-0004-A RESIWELD

MSDS Date:04/27/1994

FSC:8040

NIIN:00-157-8677

MSDS Number: BYNXP

=== Responsible Party ===

Company Name:H B FULLER COMPANY - FOSTER PRODUCTS CORP

Address:1200 WOLTERS BLVD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110-5000

Country:US

Info Phone Num:612-48

1-3300

Emergency Phone Num:612-481-3300

CAGE:ODH19

=== Contractor Identification ===

Company Name:H B FULLER COMPANY

Address:1200 WOLTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Phone:(800) 228-5635

CAGE:ODH19

Company Name:H.B. FULLER COMPANY

Address:3500 LEXINGTON AVENUE N.

Box:City:ST. PAUL

State:MN

ZIP:55126-8076

Country:US

Phone:612-236-5300/ -5309 FAX

CAGE:0DH19

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

Fraction by Wt: 70-100%

Ingred Name:SILICA, AMORPHOUS FUMED (IARC CARCINOGEN - GROUP 3) *95-3*
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 1-5%
OSHA PEL:0.1 MG/CUM
ACGIH TLV:0.1 MG/CUM

Ingred Name:CALCIUM CARBONATE, DOMOLITE, LIMESTONE, WHITING
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 5-10%
ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:VOLATILE ORGANIC CONTENT: 0.0087 GM/L
RTECS #:9999999VO

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:
YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: LIQUID CONTACT MAY CAUSE
IRRITATION. SKIN: EPOXY RESINS ARE POTENTIAL SENSITIZERS.
INGESTION: HARMFUL.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/WATER FOR 15 MINS. SKIN: WASH
AFFECTED AREA W/SOAP & WATER. INGESTION: IF CAPABLE OF SWALLOWING,
GIVE ONE
GLASS OF WATER/MILK. DON'T INDUCE VOMITING. NEVER GIVE
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL
ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>400F
Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL, CO2.
Fire Fighting Procedures:WEAR A SELF-CONTAINED BREATHING APPARATUS &
FULL PROTECTIVE EQUIPMENT.

=====
===== Accidental Release Measures =====

Spill Release

Procedures:WEAR RUBBER GLOVES & WIPE UP W/ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED W/A CHLORINATED SOLVENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:CONSULT TECHNICAL DATA SHEET FOR SPECIFIC STORAGE INSTRUCTIONS. AVOID SKIN CONTACT W/PRODUCT AT ALL TIMES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NORMALLY REQUIRED. WEAR A NIOSH/MSHA APPROVED RESPIRATOR IF CONDITIONS WARRANT.

Ventilation:GENERAL DILUTION.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE PROTECTIVE CLOTHING

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Spec Gravity:1.25

Appearance and Odor:OFF WHITE LIQUID W/MILD ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:INCOMPLETE COMBUSTION: LOW MOLECULAR WEIGHT HYDROCARBONS, CO.

Hazardous Decomposition Products:INCOMPLETE COMBUSTION: LOW MOLECULAR WEIGHT HYDROCARBONS, CO.

=====
Disposal Considerations
=====

Waste Disposal Methods:SOLIDIFY & DISPOSE OF IN AN APPROVED LANDFILL IAW/FEDERAL, STATE & LOCAL REGULATIONS.

=====
Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements o

f the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.