View NSN Online: https://aerobasegroup.ae/nsn/3439-01-397-4868

METCO INCORPORATED -- 105NS/2.5 LB -- 3439-01-397-4868

============= Product Identification ==============

Product ID:105NS/2.5 LB MSDS Date:07/02/1992

FSC:3439

NIIN:01-397-4868

MSDS Number: BYRXZ === Responsible Party ===

Company Name: METCO INCORPORATED

Address:1101 PROSPECT AVENUE

City:WESTBURY

State:NY

ZIP:11590-2799 Country:US

Info Phone Num:516-334-1300

Emergency Phone Num:800-424-9300 CHEMTREC/202-483-7616

С

AGE:HO565

=== Contractor Identification ===

Company Name: METCO INC, SUB OF THE PERKIN-ELMER CORP

Address:1101 PROSPECT AVENUE

Box:City:WESTBURY

State:NY

ZIP:11590-2724 Country:US

Phone:516-334-1300

CAGE:39918

Company Name: METCO INCORPORATED

Address:1101 PROSPECT AVENUE

Box:1006

City:WESTBURY

State:NY

ZIP:11590-2799 Country:US

Phone:516-334-1300

CAGE:HO565

======= Composition/Information on Ingredients ========

Ingred Name: ALPHA-ALUMINA (ALUMINUM OXIDE) (SARA 313)

CAS:1344-28-1

RTE

CS #:BD1200000 Fraction by Wt: 95% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name: SILICON DIOXIDE (SILICA GEL)

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

=========== Hazards Identification ==========================

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic

:INHALATION MAY CAUSE RESPIRATORY

IRRITATION; BENIGN PNEUMOCONIOSIS; SILICOSIS. CONTACT MAY CAUSE SKIN AND EYE IRRITATION.

Explanation of Carcinogenicity:THIS POWDER CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure: EYE-IRRITATION. SKIN-IRRITATION.

INHALATION-RESPIRATORY IRRITATION.

Medical Cond Aggravated by Exposure: RESPIRATORY IRRITATION, DERMATITIS.

First Aid:EYES-FLUSH WITH WATER. SEE DOCTOR IF IRRITATION PERSISTS.
SKIN-WASH WITH SOAP & WATER. INHALATION-EXPOSE TO FRESH AIR.
CONSULT A PHYSICIAN IF IRRITATION OR RESPIRATORY DISTRESS PERSISTS. INGESTION-SEE A DOCTOR.

============ Fire Fighting Measures =========================


Flash Point:NONE

Autoignition Temp: Autoignition Temp Text: NONE

Lower Limits:NONE Upper Limits:NONE

Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire



C OXIDE ARE FORMED BY PLASMA FLAME. THIS ACTION IS INDEPENDENT OF THE METAL POWDER.

====== Disposal Considerations ===========

Waste Disposal Methods:EMPTY PRODUCT CONTAINERS, PRODUCT WASTE AND CLEANING MEDIA SHOULD BE STORED AND DISPOSED OF ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.