

CANON INC, GOVERNMENT MARKETING CENTER -- 852 8945, KODAK MONOCOMPONENT 30  
TONER -- 6850-01-423-1618

===== Product Identification =====

Product ID:852 8945, KODAK MONOCOMPONENT 30 TONER

MSDS Date:06/21/1995

FSC:6850

NIIN:01-423-1618

MSDS Number: BYTDP

=== Responsible Party ===

Company Name:CANON INC, GOVERNMENT MARKETING CENTER

Address:5701-J GENERAL WASHINGTON DR

City:ALEXANDRIA

State:VA

ZIP:2231

2-2408

Country:US

Info Phone Num:703-642-8060

Emergency Phone Num:703-642-8060

CAGE:4J871

=== Contractor Identification ===

Company Name:CANON USA INC

Address:2110 WASHINGTON BLVD SUITE 150

Box:City:ARLINGTON

State:VA

ZIP:22204-5799

Country:US

Phone:703-807-3191

CAGE:4J871

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVI

CE/GOVERNMENT SALES

Address:800 LEE RD  
Box:City:ROCHESTER  
State:NY  
ZIP:14650-3129  
Country:US  
Phone:800-828-6203  
CAGE:5K871

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STYRENE ACRYLATE COPLOYMER  
Fraction by Wt: 40-50%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE  
CAS:1317-61-9  
Fraction by Wt: 40-50%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:5 MG/M3

Ingred Name:STYRENE POLYMER  
Fraction by Wt: 5-15%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:KODAK SUPPLIED NO LD50 FOR THE PRODUCT.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION:LOW HAZARD FOR RECOMMENDED HANDLING. EYE:NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION:EXPECTED TO BE LOW INGESTION HAZARD.

Explanation of Carcinogenicity:IN ADDITION TO THE ABOVE, PRODUCT IS NEGATIVE W/REGARD TO:ACGIH CANCER, CALIFORNIA CANCER & REPRODUCTIVE EFFECTS.

Effects of Overexposure:INHALATION:LOW HAZARD. EYE:IRRITATION. SKIN:IRRITATION, POSSIBLE ALLERGIC REACTION. INGESTION:LOW HAZARD.  
Medical Cond Aggravated by Exposure:KODAK GAVE NO INFORMATION ABOUT CONDITIONS THAT MAY BE AGGRAVATED.

=====  
First Aid Measures  
=====

First Aid:IF SYMPTOMS OCCUR, GET IMMEDIATE MEDICAL ATTENTION

CAL ATTENTION.

INHALATION:IF SYMPTOMATIC, MOVE TO FRESH AIR. EYE:FLUSH W/PLENTY OF WATER FOR 15 MIN. SKIN:FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED CLOTHING & LAUN DER BEFORE REUSE. INGESTION:DRINK 1-2 GLASSES OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE

DUST- AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER W/LARGE AMOUNTS OF WATER.

OTHERWISE, ABSORB SPILL W/VERMICULITE OR OTHER INERT MATERIAL & PLACE IN CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATIO N.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED.

Other Precautions:AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:USE GOOD GENERAL VENTILATION (TYPICALLY 4-6 ROOM CHANGES/HR). MATCH VENTILATION RATES TO CONDITIONS.

Protective Gloves:IMPERVIOUS GLOVES TO MINIMIZE CONTACT

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK

OF EXPOSURE PLUS EYE BATH, WASHING FACILITIES, SAFETY SHOWER.

Work Hygienic Practices:KODAK:? (DLA-HMIS:USE GOOD INDUSTRIAL HYGIENE PRACTICES. MINIMIZE PERSONAL CONTACT. WASH THOROUGHLY AFTER HANDLING.)

Supplemental Safety and Health

KAN 966201; J-0530.000. THIS MATERIAL HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS.

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:NOT GIV

EN  
Melt/Freeze Pt:M.P/F.P Text:>212F,>100C  
Vapor Pres:NEGLIGIBLE  
Vapor Density:NOT GIVEN  
Spec Gravity:1.4-1.6  
Evaporation Rate & Reference:NEGLIGIBLE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:SOLID (POWDER) BLACK, SLIGHT ODOR  
Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS OF USE.  
Hazardous Decompositi  
on Products:MFR GAVE NO INFORMATION OF MSDS.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE W/LOCAL REGULATIONS. CONTRACT W/LICENSCE CHEMICAL DISPOSAL AGENCY. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use  
by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.