

VALVOLINE OIL SUBSIDIARY OF AS -- TECTYL 802A

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-231-2357
MSDS Date: 02/10/1995
MSDS Num: BYTJX
Product ID: TECTYL 802A
MFN: 02
Responsible Party
Cage: 72527
Name: VALVOLINE OIL CO SUBSIDIARY OF ASHLAND OIL INC.
Address: 200 E MAIN ST
Box: 14000
City: LEXINGTON KY 40512
Info Phone Number: 606-264-7000/7616;FAX 601-429-0537
Emergency Phone Number: 800-ASHLAND/800-274-5263
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 72527
Name: VALVOLINE OIL CO
Address: 3499 BLAZER PKY
Box: 14000
City: LEXINGTON KY 40512

=====
Contractor Summary
=====

Cage: 0WA27
Name: EMULTEC INDUSTRIAL PRODUCTS INC
Address: 1150 HAYDEN DR SUITE 100
City: CHARROLLTON TX 75006
Phone: 972-417-1288
Cage: 72527
Name: VALVOLINE OIL CO
Address: 3499 BLAZER PKY
Box: 14000
City: LEXINGTON KY 40512
Phone: 606-357-7206 / 800-274-5263

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LU

BRICATING OIL,GENERAL PURPOSE

Unit of Issue: DR

Quantitative Expression: 00000000055GL

UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

=====
Handling and Disposal
=====

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Flash Point Text: 200F,93C

Lower Limits: UNAVAILABLE

Upper Limits: UNAVAILABLE

Extinguishing Media: REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR SCBA W/FULL FACEPIECE OPERATED IN +PRESS DEMAND

MODE W/APPROPRIATE TURNOUT GEAR/CHEM RE

SIST PPE.WATER/FOAM MAY CAUSE FROTHING

WHICH CAN BE VIOLENT (SUPPLE)

Unusual Fire/Explosion Hazard: NEVER USE WELD/CUT TOURCH ON/NEAR DRUM(EVEN

EMPTY)BECAUSE PRODUCT (EVEN JUST RESIDUE)CAN IGNITE EXPLOSIVELY.
=====

=====
Control Measures
=====

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Te

xt: >550F,>288C

Vapor Pres: <0.01 @68F

Vapor Density: >AIR

Spec Gravity: 0.920

Evaporation Rate & Reference: SLOWER THAN ETHER

Appearance and Odor: APPEARANCE PER MSDS UNKNOWN, LIQUID, HETEROGENOUS
SOLUTION.
=====

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: AVOID CONTACT W/STRONG OXIDIZING AGENT

S.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 72527
Trans ID NO: 58219
Product ID: TECTYL 802A
MSDS Prepared Date: 02/10/1995
Review Date: 04/23/1996
MFN: 2
Net Unit Weight: 421.4 LBS
Multiple KIT
Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 1

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANS

PORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: TECTYL 802A

Cage: 72527

Company Name: VALVOLINE OIL CO

Street: 3499 BLAZER PKY

PO Box: 14000

City: LEXINGTON KY

Zipcode: 40512

Health Emergency Phone: 800-ASHLAND/800-274-5263

Label Required IND: Y

Date Of Label Review: 04/23/1996

Status Code: C

Label Date: 04/23/1996

Year Procured: 1996

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protecti

on IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: MAY CAUSE EYE/SKIN IRRIT.MIST INHAL MAY CAUSE

NASAL/RESP PASSAGES IRRIT.INGEST MAY CAUSE MOUTH/GI IRRIT.AVOID CONTACT W/EYE

& PROL/REP CONTACT W/SKIN.USE/STORE ONLY W/ADEQUA VENTI.WEAR PPE

ESSENTIAL F OR YOUR OPERATION.MIN EXPO THRU GOOD HYGIENIC PRAC.DO NOT TRANS

TO UNLABEL CNTNR.DO TO USE CUT/WELD TORCH ON CNTNR(EVEN EMPTY).FOR IDNUSTRIAL

USE ONLY.BEF USE REV

IEW MSDS.1ST AID:EYES:FLUSH WELL W/WATE R.GET MED ATTN
IMMED.SKIN:WASH WELL W/SOAP/WATER.INHAL:REMOVE TO FRESH AIR.DIFFBREATH GET
MED ATTN.INGEST:DO NOT INDUCE VOMIT.CALL DR/POIS CNTRL CNTR IMMED.ASPIRATION
HAZ IF SWALLOWED.CAN ENTER LUNGS, CAUSE DMG.NEVER GIVE ANYTHING BY MOUTH IF
UNCONSC

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of D
efense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America s

ould seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.