

NEW JERSEY ZINC CO -- ZINC OXIDE,PART B,(ONE OF FOUR ITEMS) -- 1420-00-627-2131

=====  
Product Identification  
=====

Product ID:ZINC OXIDE,PART B,(ONE OF FOUR ITEMS)

MSDS Date:10/29/1985

FSC:1420

NIIN:00-627-2131

MSDS Number: BYTKR

=== Responsible Party ===

Company Name:NEW JERSEY ZINC CO

Address:4TH ST AND DELAWARE AVE

City:PALMERTON

State:PA

ZIP:18071

Country:US

Info Phone Num:215-826-8941

Emergen

cy Phone Num:215-826-8941

Preparer's Name:NONE

CAGE:1F136

=== Contractor Identification ===

Company Name:EAGLE-PICHER INDUSTRIES, INC.

Address:C AND PORTER STS

Box:47

City:JOPLIN

State:MO

ZIP:64801

Country:US

Phone:417-623-8000

CAGE:81855

Company Name:HUGHES AIRCRAFT CO RADAR SYSTEMS GROUP

Address:BLDG C1 MS A142

Box:92426

City:LOS ANGELES

State:CA

ZIP:90009

Country:US

Phone:213-568-7200

CAGE:82577

Company Name:NEW JERSEY ZINC COMPANY

Address:4TH STREET AND DELAWARE AVE

Box:City:PALMERTON

State:

PA  
ZIP:18071  
Country:US  
Phone:215-826-8869  
CAGE:1F136

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA), (ESTIMATED ZINC=45 OZ)  
CAS:1314-13-2  
RTECS #:ZH4810000  
Fraction by Wt: 99.3%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:LEAD (SARA 313) (CERCLA)  
CAS:7439-92-1  
RTECS #:OF7525000  
Fraction by Wt: 0.002%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:SEE 1910.1025  
ACGIH TLV:0.15M  
G/M3 DUST; 9495  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:CADMIUM (SARA 313) (CERCLA)  
CAS:7440-43-9  
RTECS #:EU9800000  
Fraction by Wt: 0.001%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.2 MG/M3 DUST; Z-2  
ACGIH TLV:0.01 MG/M3 DUST;9495  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:ALUMINUM (SARA 313)  
CAS:7429-90-5  
RTECS #:BD0330000  
Fraction by Wt: 0.05%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 DUST  
ACGIH TLV:10 MG/M3 DUST; 9495

=====  
Hazards Identification  
=====

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXCESSIVE EXPOSURE TO SUBLIMED ZINC OXIDE MAY PRODUCE SYMPTOMS KNOWN AS "ZINC OXIDE CHILLS", WHICH HAVE NO RECOGNIZED COMPLICATIONS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SYMPTOMS USUALLY DISAPPEAR WITHIN 24 HOURS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SYMPTOMS USUALLY DISAPPEAR WITHIN 24 HOURS. SYMPTOMATIC TREATMENT, SUCH AS BED REST, POSSIBLY ASPIRIN, TO AFFORD RELIEF FROM FEVER AND CHILLS.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:NON-FLAMMABLE. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighti

ng Procedures:NON-FLAMMABLE

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:AS WITH ANY NUISANCE DUST, AVOID EXCESSIVE DUSTING.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/

MSHA APPROVED TYPE RESPIRATOR FOR  
DUSTING CONDITIONS.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED.

Protective Gloves:GLOVES RECOMMENDED.

Eye Protection:USE SAFETY EYEWEAR.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS ITEM IS NOT PART OF A KIT. THIS ENTRY DESCRIBES ONE OF THE FOUR  
ITEMS THAT MAKE-UP THE "BATTERY,EXPLOSIVE" SPECIFIED  
IN NSN

1420-00-627-2131. SEE THIS SAME NSN, P/N IND'S A, C, AND D, FOR  
DATA ON THE OTHER THREE ITEMS. ESTIMATED CALCULATED HAZARDOUS  
MATERIAL (TOTAL FOR ALL FOUR ITEMS,P/N A,B,C,D) IN BATTERY=5 LBS.

===== Physical/Chemical Properties =====

HCC:T6

Melt/Freeze Pt:=1975.C, #####F

Spec Gravity:5.61

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE POWDER WITH PALE GREEN TINT. NO ODOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN A CLOSED CONTAINER OR HEAVY BAG.  
DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
DISPOSAL OR DISCHARGE LAWS.

Disclaimer (provided with this information by the compi  
ling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.