View NSN Online: https://aerobasegroup.ae/nsn/5970-01-251-6805

3M, INDUSTRIAL SPECIALTIES DIV -- FP-301 HEAT SHRINK TUBING-COLORS

MSDS Safety Information

FSC: 5970

NIIN: 01-251-6805 MSDS Date: 05/01/1995 MSDS Num: BYXYB

Product ID: FP-301 HEAT SHRINK TUBING-COLORS

MFN: 01

Responsible Party Cage: 52152

Name: 3M, INDUSTRIAL SPECIALTIES DIVISION

Address: 3M CENTER

City: ST

PAUL MN 55144-1000

Info Phone Number: 612-733-1110

Emergency Phone Number: 612-733-1110

Preparer's Name: UNKNOWN

Review Ind: Y Published: Y

Contractor Summary

Cage: 0G2Y1

Name: CAL_AZ SALES & Amp; MARKETING (714-993-9406)

Address: UNKNOWN

Box: UNKNOW

City: UNKNOWN NK 00000

Phone: UNKNOWN

Cage: 52152

Name: MINNESOTA MINING & MFG CO INDUSTRIAL TAPE & MINING & DIV

Address: 3M C

ENTER

City: ST PAUL MN 55144-1000

Phone: 1-800-364-3577

Cage: 75037

Name: MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV

Address: 3M AUSTIN CTR City: AUSTIN TX 78769-2963

Phone: 512-984-1800

Item Description Information

Item Manager: S9G

Item Name: INSULATION SLEEVING, ELECTRICAL, SPECIAL PURPOSE

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: EA UI Container Qty:

1

Type of Container: UNKNOWN

Ingredients

Name: FLAME RETARDANT POLYOLEFIN

% Wt: 100

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

LD50 LC50 Mixture: LD50 (ORAL RAT) IS NOT RELEVANT.

Route Of Entry Inds - Inhalati

on: NO Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: TARGET ORGANS:EYE, SKIN, RESPIRATORY & DI TRACTS.

ACUTE- VAPORS FROM HEATED MATERIAL MAY CAUSE EYE IRRITATION. CONTACT WITH HOT MATERIAL BURNS SKIN. VAPORS FROM HEATED MATERIAL CAN IRRITATE RESPIRATOR Y

TRACT. INGESTION IS NOT A LIKELY ROUTE OF EXPOSURE. CHRONIC- UNKNOWN.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION, BURNS IF MATERIAL IS HOT.

Medic

al Cond Aggravated By Exposure: NONE

First Aid: CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15

MINUTES. HOLD EYELIDS OPEN. SKIN:IMMEDIATELY FLUSH WITH COLD WATER. TREAT FOR BURNS. INHALED:REMOVE TO FRESH AIR. ORAL:NOT LIKELY.

Handling and Disposal

Spill Release Procedures: NOT RELEVANT

Neutralizing Agent: NOT RELEVENT

Waste Disposal Methods: DISPOSE OF IN A SANITAR

Y LANDFILL IN ACCORDANCE WITH

LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE AT ROOM TEMPERATURE.

Other Precautions: WASH HANDS BEFORE EATING AND AFTER HANDLING. KEEP OUT OF

REACH OF SMALL CHILDREN.

Fire and Explosion Hazard Information

Flash Point Text: NONE

Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures: WEAR FULL

PROTECTIVE CLOTHING, INCLUDING HELMET AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: UNKNOWN _____ Control Measures _____ Respiratory Protection: NONE NORMALLY REQUIRED. IF FUME PRESENT, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR WITH DUST/MIST PREFILTER. Ventilation: ADEQUATE **Protective Gloves:** NOMEX WHEN HANDLING HOT MATERIALS Eye Protection: CHEMICAL GOGGLES Other Protective Equipment: EYE WASH FOUNTAIN, WASHING FACILITY Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. _____ Physical/Chemical Properties _____ HCC: N1 NRC/State LIC No: NOT RELEVANT M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Spec Gravity: 1.3 Viscosity: NOT RELEVANT **Evapor** ation Rate & Dr Reference: NOT RELEVANT Solubility in Water: INSOLUBLE Appearance and Odor: TUBING, VARIOUS SIZES AND COLORS ______ Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: EXCESSIVE HEAT Materials To Avoid: UNKNOWN Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF ANTIMONY, ALDEHYDES, HYDROGEN BROMIDE, TOXIC VAPORS, GASES OR PARTIC **ULATES** Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT ______ **Toxicological Information** _____ ______ **Ecological Information**

MSDS Transport Information

=======
Regulatory Information
Other Information
Transportation Information
Responsible Party Cage: 52152 Trans ID NO: 118399 Product ID: FP-301 HEAT SHRINK TU BING-COLORS MSDS Prepared Date: 05/01/1995 Review Date: 05/15/1996 MFN: 1 Radioactivity: NOT RELEVANT Net Unit Weight: UNKNOWN Multiple KIT Number: 0 Review IND: Y Unit Of Issue: EA Container QTY: 1 Type Of Container: UNKNOWN
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION ===================================
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: FP-301 HEAT SHRINK TUBING-COLORS

Cage: 52152

Company Name: MINNESOTA MINING & amp; MFG CO INDUSTRIAL TAPE & amp; SPECIALTIES

DIV

Street: 3M CENTER City: ST PAUL MN Zipcode: 55144-1000

Health Emergency Phone: 612-733-1110

Label Requi red IND: Y

Date Of Label Review: 05/15/1996

Status Code: C

MFG Label NO: UNKNOWN Label Date: 05/15/1996 Year Procured: 1996 Origination Code: F Signal Word: CAUTION Health Hazard: Slight

Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYE, SKIN, RESPIRATORY & DESCRIPTION OF TRACTS.

ACUTE- VAPORS FROM HEATED MATERIAL MAY CAUSE EYE IRRITATION. CONTACT WITH HOT MATERIAL BURNS SKIN. VAPORS FROM HEATED MATERIAL CAN IRRITATE RESPIRATOR Y TRACT. INGE

STION IS NOT A LIKELY ROUTE OF EXPOSURE. CHRONIC- UNKNOWN. STORE AT ROOM TEMPERATURE. SPILL: NOT RELEVANT. FIRST AID- CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUT ES. HOLD EYELIDS OPEN. SKIN:IMMEDIATELY FLUSH WITH COLD WATER. TREAT FOR BURNS.INHALED:REMOVE TO FRESH AIR. ORAL:NOT LIKELY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the Uni

ted States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.