View NSN Online: https://aerobasegroup.ae/nsn/7930-01-412-1020

MAINTEX INC. -- DOUBLE DUTY (CLEANER & NEUTRALIZER) -- 7930-01-412-1020

======== Product Identification ============

Product ID:DOUBLE DUTY (CLEANER & NEUTRALIZER)

MSDS Date:05/16/1994

FSC:7930

NIIN:01-412-1020

MSDS Number: BYZCY
=== Responsible Party ===
Company Name:MAINTEX INC.
Address:13300 NELSON AVE.
City:CITY OF INDUSTRY

State:CA ZIP:91746 Country:US

Info Phone Num:818-961-1988 Emergency Phone Num:80 0-255-3924 (CHEMTEL)

Preparer's Name: ALI ABYANE

CAGE:NO277

=== Contractor Identification === Company Name:MAINTEX INC Address:13300 NELSON AVE Box:City:CITY OF INDUSTRY

State:CA ZIP:91746 Country:US

Phone:818-961-1988

CAGE:0PWJ2

Company Name:MAINTEX INC. Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA ZIP:91731

Phone:213-283-7380

CAGE:NO277

====== Composition/Information on Ingredients ========

Ingred Name: CITRIC ACID,

CAS:77-92-9

RTECS #:GE7350000 Fraction by Wt: 1-3%

Other

REC Limits:NONE RECOMMENDED Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: DIRECT CONTACT W/CONCENTRATED PROD. MAY CAUSE MODERATE IRRITATION, TEARING, REDNESS. SKIN: MILD IRRITANT. REPEATED/PROLONGED CONTACT MAY IRRITATE OR DRY. INHALATION: NOT EXPECTED TO BE A PROBLEM, UNLESS CONCENTRATED PRODUCT HEATED & I NHALED. INGESTION: MAY IRRITATE GASTROINTESTINAL TRACT, CAUSING NAUSEA/DIARRHEA. Effects of Overexposure: OVEREXPOSURE MAY RESULT IN ALLERGIC SKIN REACTIONS. EYES: STINGING, WATERING. SKIN: IRRITATION, INFLAMMATION. First Aid:EYES: GENTLY IRRIGATE W/LARGE AMOUNTS COOL WATER 15 MINUTES. SEEK MEDICAL ATTN. SKIN: WASH W/WATER. INHALATION: IF DISCOMFORT EXPERIENCED, REMOVE TO FRESH AIR. IF BREATHING DIFFICULT, **GIVE** OXYGEN, CAL L PHYSICIAN. INGESTION: WASH MOUTH AREA. GIVE MODERATE AMOUNTS FLUID (WATER/MILK) TO DILUTE. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTN. ============== Fire Fighting Measures ======================= Flash Point Method:TCC Flash Point:>212F,>100C Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR POSITIVE PRESSURE SCBA W/FULL FACE PIECE. Unusual Fire/Explosion Hazard: USE WATER FOG/SPRAY TO COOL & LO WER PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY. ======= Accidental Release Measures ======= Spill Release Procedures: LARGE (>55 GL): WEAR RUBBER BOOTS, GLOVES & APPROPRIATE PROTECTIVE CLOTHING. SHUT OFF LEAK SOURCE IF SAFE. DIKE/CONTAIN SPILL. SMALL: MOP & RINSE AREA. ============= Handling and Storage ==========================

Handling and Storage Precautions: KEEP OUT OF REACH OF CHILDREN. DO NOT GET IN EYES, ON SKIN OR CLOTHING.

Respiratory Protection:FOR MISTS/SPRAYED MATERIAL USE NIOSH APPROVED RESPIRATOR.

Ventilation: IN CONFINED AREAS PROVIDE ADEQUATE LOCAL EXHAUST VENTILATION.

Protective Gloves: RUBBER: DECREASES DRYNESS/IRRITATION.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Su

pplemental Safety and Health

NK

======== Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:>32F,>0C Vapor Pres:>17 @ 68F Vapor Density:>1 Spec Gravity:1.01 pH:3-5 Evaporation Rate & Evaporation R