View NSN Online: https://aerobasegroup.com/nsn/7045-01-269-3828

NEC TECHNOLOGIES INC -- LC-800 SERIES OPC CARTRIDGE -- 7045-01-269-3828

============= Product Identification ========================

Product ID:LC-800 SERIES OPC CARTRIDGE

MSDS Date:09/21/1990

FSC:7045

NIIN:01-269-3828

MSDS Number: BZBDV === Responsible Party ===

Company Name: NEC TECHNOLOGIES INC Address: 1414 MASSACHUSETTS AVE

City:BOXBOROUGH

State:MA ZIP:01719 Country:US

Info Phone Num:508-264-8000 Emergency Phone Num:50

8-264-8000 CAGE:62803

=== Contractor Identification ===

Company Name: NEC TECHNOLOGIES INC Address: 1414 MASSACHUSETTS AVE

Box:City:BOXBOROUGH

State:MA ZIP:01719 Country:US

Phone:508-264-8000

CAGE:62803

======= Composition/Information on Ingredients ========

Ingred Name: PIGMENT; (PHTHALOCYANINE PIGMENT)

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: POLYCARBONATE; (POLYCARBONATE VEHICLE)

Fraction by Wt: 60% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: HYDRAZONE COMPOUND ADDITIVE

Fraction by

ACGIH TLV:N/K
=========== Hazards Identification ============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE AND CHRONIC: NONE ESTABLISHED. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE.
d Measures ====================================
First Aid:NONE REQUIRED. INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . EYES:IMMEDIATELY FLUSH W/POTABLE WATER FOR A MINIMUM OF 15 MINUTES, SEEK ASS ISTANCE FROM MD . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD .
======================================
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & F ULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.
========= Accidental Release Measures ==========
Spill Release Procedures:NO SPECIAL PRECAUTIONS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN A COOL, DARK, DRY PLACE. Other Precautions:DO NOT EXPOSE TO LIGHT. DO NOT TOUCH THE SURFACE.

===== Exposure Controls/Personal Protection ===

Wt: 40% OSHA PEL:N/K ========

Respiratory Protection: NONE REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation: NOT APPLICABLE.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NOT APPLICABLE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

======== Physical/Chemical Properties ===========

Spec Gravity:2.7 (H*2O = 1) Solubility in Water:INSOLUBLE

Appearance and Odor:GREEN, ODORLESS, SOLID CYLINDER

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

======= Disposal Considerations ===========

Waste Disposal Methods:MAY BE DISPOSED OR INCINERATED UNDER CONDITIONS WHICH MEET ALL FEDERAL, STAT E OR LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this i nformation to their particular situation.