View NSN Online: https://aerobasegroup.com/nsn/6850-01-287-8067

UNI-KEM INTERNATIONAL CORPORATION/MFR OXYCHEM -- MIL-A-53009A AMD #1 6850-01-287-8067

Product ID:MIL-A-53009A AMD #1 MSDS Date:03/05/1996 FSC:6850 NIIN:01-287-8067 MSDS Number: BZBDY === Responsible Party === Company Name: UNI-KEM INTERNATIONAL CORPORATION/MFR OXYCHEM Address:513 HICKORY AVENUE Box:23384 **City:HARAHAN** State:LA ZIP:70183 Country:US Info Phone Nu m:504-738-1623 Emergency Phone Num:504-738-1623 CAGE:4S446 === Contractor Identification === Company Name: UNI-KEM INTERNATIONAL Address:1001 HARIMAW COURT EAST Box:City:METAIRIE State:LA ZIP:70001 Country:US Phone:504-835-7600/FAX:504-835-7608 CAGE:4S446 Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50

Mixture:TLV IS 1000PPM Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: MAY CAUSE MILD IRRITATION.SKIN:MAY CAUSE MODERATE IRRITATION.INGEST:MAY CAUSE REACTION SIMILAR TO PETROLEUM SOLVENT. INHAL: MAY CAUSE RESPIRATORY **IRRITATION AND CNS EFFECTS.SYSTEMIC:MAY CAUSE MYOCA RDIAL** IRRITABILITY. Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CAR CINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure: INHAL: AT 500-1000PPM, ANESTHETIC EFFECT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES. INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.CALL DOCTOR(PHYSICIAN MAY ADMINISTER BR ONCHODILATORS AND EXPECTORANTS). INGEST: DO NO T INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF LAVAGE IS PERFORMED, USE ENDOTRACHEAL AND/OR ESOPHAGOSCOPIC CONTROL. Flash Point:NONE Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

============== Accidental Release Measures

Spill Release Procedures:MOP OR SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.DO NOT CONTAMINATE GROUND OR WATE RWAYS. Neutralizing Agent:NOT REPORTED.

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precaut ions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING VAPORS.AVOID SKIN AND EYE CONTACT.

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE. Ventilation:USE GENERAL DILUTION VENTILATION. Protective Gloves:NOT NEEDED IN NORMAL SERVICE. Eye Protection:SAFETY GLASSES Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AF TER USE AND BEFORE EATING. Supplemental Safety and Health

NONE

HCC:N1 Boiling Pt:B.P. Text:225F,107C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Density:1.14 Spec Gravity:1.18 Evaporation Rate & amp; Reference:1.2 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:LIQUID;AMBER;SWEET ODOR. Percent Volatiles by Volume:68.1

Stability Indicato r/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defens e. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.