View NSN Online: https://aerobasegroup.ae/nsn/6630-01-300-6118

LECO CORPORATION

-- 502-174,502-176 LECOSORB

MSDS Safety Information

\_\_\_\_\_\_

FSC: 6630

NIIN: 01-300-6118 MSDS Date: 09/01/1994 MSDS Num: BZGBP

Product ID: 502-174,502-176 LECOSORB

MFN: 04

Responsible Party Cage: FO436

Name: LECO CORPORATION Address: 3000 LAKEVIEW AVE City: ST JOESPH MI 49085-231

9

Info Phone Number: 616-983-5531

Emergency Phone Number: 616-983-5531 Preparer's Name: DUANE OSTENSON

Review Ind: Y Published: Y

\_\_\_\_\_\_

Preparer Co. when other than Responsible Party Co.

\_\_\_\_\_\_

Cage: FO436 Assigned Ind: Y

Name: LECO CORPORATION Address: 3000 LAKEVIEW AVENUE

Box: NK/

City: ST. JOSEPH MI 49085

\_\_\_\_\_

Contractor Summary

\_\_\_\_\_

Cage: 94174

Name: LECO CORPORATION Address: 3000 LAKEVIEW AVE. City: ST JOSEPH MI 49085-2396

Phone: 616-983-5531

Cage: FO436

Name: LECO CORPORATION Address: 3000 LAKEVIEW AVENUE

Box: NK/

City: ST. JOSEPH MI 49085 Phone: (616) 983-5531

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_\_

Item Manager: FLZ

Item Name: ANALYZER,GAS

Unit of Issue: EA UI Container Qty: 1

=

Ingredients

\_\_\_\_\_\_

Cas: 1310-73-2

RTECS #: WB4900000

Name: SODIUM HYDROXIDE, CAUSTIC SODA, LYE

% Wt: 99.2

Other REC Limits: 2MG/M3 CEILING NIOSH

OSHA PEL: 2 MG/CUM

ACGIH TLV: 2 MG/CUM CEILING

EPA Rpt Qty: 1000 LBS DOT Rpt Qty: 1000 LBS

Cas: 1318-00-9

Name: VERMICULITE, MAGNESIUM ALUMINOSILICATE \*96-1\*

% Wt: <0.8

Other REC Limits: 5 MG/CUM TOTAL DUST

**OSHA PE** 

L: 15 MG/CUM TOTAL DUST

ACGIH TLV: 10 MG/CUM TOTAL DUST

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYES/SKIN: CORROSIVE TO ALL BODY TISSUE W/WHICH IT COMES INTO CONTACT. INHALATION: CORROSIVE TO ALL BODY TISSUE, DUST MAY CAUSE

VARYING DEGREES OF IRRITATION. INGESTION: CORR

OSIVE TO ALL BODY TISSUE.

CHRONIC OVEREXPOSURE EFFECT MAY CONSISTOF MULTIPLE AREAS OF SUPERFICIAL

DESTRUCTION OF THE SKIN.

**Explanation Of Carcinogenicity: NONE** 

Signs And Symptions Of Overexposure: IRRITATION

Medical Cond Aggravated By Exposure: INCREASED SUSEPTIBILITY TO RESPIRATORY

ILLNESS.

First Aid: EYES: FLUSH W/LARGE AMOUNTS OF CLEAN WATER, FOLLOWED BY BORIC ACID EYE WASH SOLUTION. SKIN: FLUSH W/WATER. INHALATION: REMOVE TO FRESH AIR.

OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

\_\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedures: WASH AREA W/1 MOLAR HYDROCHLORIC ACID/CAUSTIC SPILL

KIT.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & amp; FEDERAL

**REGULATIONS. CORROSIVE UN1823.** 

Handling And Storage Precautions: KEEP CONTAINER CLOSED. WEAR PROTECTIVE CLOTHING, USE ADEQUATE VENTILATION WHERE DUST MAY BE GENERATED.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_\_

Flash Point Text: NONE TO 550F

Lower Limits: NONE Upper Limits: NONE

Extinguishing Media: FOAM, CO2/DRY CHEMICAL

Fire Fighting Procedures: PROTECTIVE CLOTHING & DEFINITION SELF CONTAINED BREATHING

APPARATUS SHOULD BE WORN BY FIRE FIGHTERS IN AREA WHERE PRODUCT IS STORED.

Unusual Fire/Explosion Hazard: PRODUCT NOT COMBUSTIBLE.

\_\_\_\_\_\_

Control Measures

\_\_\_\_\_\_

Respiratory Protection: MSA DUST FOE 77/NIOSH APPROVED RESPIRATOR.

Ventilation: LOCAL EXHAUST FAN Protective Gloves: IMPERVIOUS

Eye Protection: GOGGLES/FACE SHIELD

Other Protective Equipment: COVERALLS, CHEMICALLY RESISTANT SHOES, SHOWERS &

**EYE WASH** 

\_\_\_\_\_\_

Physical/Chemical Properties

\_\_\_\_\_

B.P. Text: 2530F Vapor Pres: 42

Spec Gr avity: 2.13

Solubility in Water: COMPLETE

Appearance and Odor: LIGHT GREEN SOLID W/NO ODOR

\_\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

Stability Indicator: YES

Materials To Avoid: WATER, STRONG ACIDS, ALUMINUM, TIN & ZINC

Hazardous Decomposition Products: WATER CAUSES STRONG EXOTHERMIC REACTION,

**EXPOSURE TO AIR RESULTS IN FORMATION OF WATER & CARBONATE** 

Hazardous Polymerization Indicator: NO

Toxicological Information	
Ecological Information	:=======
	:=======
MSDS Transport Information	
Dogulator Unformation	:========
Regulatory Information ====================================	
	:=======
Other Information	========
HAZCOM Label	:=======
======================================	:=======
Assigned IND: Y Company Name: LECO CORPORATION	
Street: 3000 LAKEVIEW AVENUE PO Box: NK/	
City: ST. JOSEPH MI	
Zipcode: 49085 Health Emergency Phone: 616-983-5531	
La bel Required IND: Y	
Date Of Label Review: 12/16/1998	
Status Code: C	

Hazard And Precautions: EYES/SKIN: CORROSIVE TO ALL BODY TISSUE W/WHICH IT

VARYING DEGREES OF IRRITATION. INGESTION: CORROSIVE TO ALL BODY TISSUE.

COMES INTO CONTACT. INHALATION: CORROSIVE TO ALL BODY TISSUE, DUST MAY CAUSE

CHRONIC OVEREXPOSURE EFFECT MAY CONSISTOF MULTIPLE AREAS OF SUPERFICIAL

Label Date: 12/16/1998 Origination Code: G

DESTRUCTION OF THE SKIN. IRRITATION

=======

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and

disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.