

BEXAR CHEMICAL & SUPPLY, INC. -- FLOOR POLISH -- 7930-01-183-8585

=====  
Product Identification  
=====

Product ID:FLOOR POLISH

MSDS Date:01/22/1993

FSC:7930

NIIN:01-183-8585

MSDS Number: BZH XD

=== Responsible Party ===

Company Name:BEXAR CHEMICAL & SUPPLY, INC.

Address:599 U.S. HIGHWAY 90 W.

City:CASTROVILLE

State:TX

ZIP:78000

Country:US

Info Phone Num:210-538-3407 VOICE/210-931-3553 FAX

Emergency

Phone Num:210-530-3407

Preparer's Name:DAVID B. WIENCKOWSKI

CAGE:0HXU7

=== Contractor Identification ===

Company Name:BEXAR CHEMICAL & SUPPLY, INC

Address:15303 TRADESMAN

Box:City:SAN ANTONIO

State:TX

ZIP:78249

Country:US

Phone:512-493-3171

CAGE:0HXU7

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHYLENE GLYCOL MONOETHYL ETHER

CAS:111-90-0

RTECS #:KK8750000

Fraction by Wt: 5-10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC AMMONIUM CARBONATE COMPOUN

D  
CAS:38714-47-5  
Fraction by Wt: 1-3%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIBUTOXYETHYL PHOSPHATE  
CAS:70-51-3  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:FORMALDEHYDE (SARA 302/313) (CERCLA)  
CAS:50-00-0  
RTECS #:LP8925000  
Fraction by Wt: 0.01%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT EST.  
ACGIH TLV:NOT EST.  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:Y  
ES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: CAN CAUSE MILD TO MODERATE IRRIT.  
SKIN: IRRITATION CAN OCCUR FOLLOWING CHRONIC CONTACT. INHAL: CAN  
CAUSE IRRIT TO NOSE/THROAT/UPPER RESPIRATORY TRACT. INGEST: CAN  
CAUSE NAUSEA/VOMITING/GI UPSET.  
Effects of Overexposure:DEPENDING ON ROUTE OF ENTRY, FREQUENCY &  
DURATION OF EXPOSURE, TOXICITY MAY AFFECT CNA/PERIPHERAL NERVOUS  
SYSTEM.

=====  
===== First Aid Mea  
sures =====

First Aid:FLUSH EYES W/WATER 15 MIN. IF IRRIT DEVELOPS CALL DR. SKIN:  
REMOVE CONTAM CLOTHES/SHOES. WASH W/SOAP & WATER. INHAL: GET TO  
FRESH AIR. IF SYMPTOMS DEVELOP GET IMMED MED AID. IF NOT BREATHING  
GIVE ARTI F RESP. INGESTION: GET MED AID UNLESS ADVISED OTHERWISE.  
INDUCE VOMITING BY GIVING 2 GLASSES WATER OR BY STICKING FINGERS  
DOWN THROAT. DON'T GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/DROWSY/NO  
GAG REFLEX.

=====  
===== Fire Fig

Handling Measures =====

Flash Point:NOT AVAILABLE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:WATER/FOAM/DRY CHEM/CO2. WATER-BASED. NOT EXPECTED TO BURN UNTIL WATER BOILED AWAY. RESIDUAL SOLID/CNTNR MAY COMBUST.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR APPROVED POSITIVE PRESSURE SCBA & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:STOP DISCHARGE, CONTAIN MATERIAL. USE

ABSORBENT SUCH AS CLAY/EARTH. USE SAFETY MEASURES/PROTECTIVE

EQUIPMENT. DON'T FLUSH TO SEWER/STREAM/OTHER BODIES WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED AREA. PROTECT FROM FREEZING. DON'T STORE >120F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF AIRBORNE CONCENTRATIONS EXCESSIVE, WEAR NIOSH/MSHA APPROVED EQUIPMENT.

Ventilation:GENERAL VENTILATION MAY BE ACCEPTABLE. LOCAL EXHAUST VENTILATION RECOMMENDED IF VAPORS/MISTS/GASES RELEASED.

Protective Gloves:RECOMMENDED TO MINIMIZE SKIN CONTACT.

Eye Protection:CHEM SPLASH/SAFETY GLASSES W/SIDE SHIELD

Other Protective Equipment:WASH CONTAM GOGGLES, FACE SHIELD, GLOVES.

PROFESSIONALLY LAUNDER CONTAM CLOTHES. DISCARD CONTAM SHOES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text:0F,-18C

Vapor Pres:NOT EST.

Vapor Density:NOT EST.

Spec Gravity:1.03

pH:7-10

Solubility in Water:INSOLUBLE

Appearance and Odor:MILKY WHITE LIQUID, MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:IF HEATED TO HIGH TEMPS, MAY EMMIT

FOLLOWING COMPOUNDS: TOXIC FUMES (CARBON DIOXIDE, CARBON MONOXIDE).

=====

===== Disposal Considerations =====

Waste Disposal Methods: IF DISCHARGED IN ORIGINAL UNUSED FORM, SHOULD BE MANAGED AT AUTHORIZED FACILITY IN COMPLIANCE W/APPLIC REGS. BE SURE TO CONTACT APPROPRIATE GOVERNMENT/ENVIRONMENTAL AGENCIES IF FURTHER DISPOSAL GUIDANCE REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.