View NSN Online: https://aerobasegroup.ae/nsn/7930-01-381-5870

Product ID:0947 MSDS Date:09/30/1985 FSC:7930 NIIN:01-381-5870 **MSDS Number: BZLPZ** === Responsible Party === Company Name: SELIG CHEMICAL INDUSTRIES INC Address:840 SELIG DR SW City:ATLANTA State:GA ZIP:30336-2229 Country:US CAGE:86938 === Contractor Identification === Company Name: SELIG CHEMICAL INDUS, DIV OF NATIONAL SERVICE INDUS Address:840 SELIG DR SW Box:City:ATLANTA State:GA ZIP:30378 Country:US Phone:404-691-9220 CAGE:86938

======= Composition/Information on Ingredients ==========

Ingred Name:THERE ARE NO HAZARDOUS INGREDIENTS LISTED BY MANUFACTURER. Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED OSHA PEL:NA ACGIH TLV:NA

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:

NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: CAN BE SLIGHTLY IRRITATING ON PROLONGED CONTACT. EYES: CAN BE IRRITATING ON CONTACT. INHALATION: VERY SLIGHT IF ANY EFFECT. INGESTION: MAY CAUSE NAUSEA.

First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH IMMED W/PLENTY WATER 15 MINUTES. INGESTION: GIVE LARGE AMOUNTS OF WATER TO DRINK.

======================================
Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:NA Fire Fighting Procedures:NA Unusual Fire/Explosion Hazard:NA
======================================
Spill Release Procedures: PICK UP & DEPOSIT IN SUITABLE WASTE CONTAINER. FLUSH AREA THOROUGHLY W/DETERGENT SOLUTION. RINSE AREA THOROUGHLY W/CLEAN WATER.
======================================
Handling and Storage Precautions:KEEP AWAY FROM CHILDREN. HARMF UL IF
SWALLOWED. (PH DILUTED (1:128) = 9.3)
======================================
Respiratory Protection:NOT REQUIRED. Ventilation:NO SPECIAL REQUIREMENTS. Eye Protection:NOT REQUIRED UNLESS SPLASHING. Other Protective Equipment:NOT NORMALLY NECESSARY. Supplemental Safety and Health NK
======================================
Boiling Pt:B.P. Text:200F,93C Spec Gravity:1.0 pH:9.0CON Solubility in Water:COMPLETE Appearance and Odor:

CLEAR, GREEN COLOR, CITRUS ODOR Percent Volatiles by Volume:80

Stability Indicator/Materials to Avoid:YES CATIONIC MATERIAL

Waste Disposal Methods:CHECK STATE, LOCAL, FED REGUALTIONS. PRODUCT NOT CONSIDERED HAZARDOUS WASTE UNDER RCRA. LIQ MAY BE DISPOSED OF BY FLUSHING INTO SANITARY SEWER W/PLENTY WATER. NEUTRALIZATION OF PH MAY BE REQUIRED.

## Di

sclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.