View NSN Online: https://aerobasegroup.ae/nsn/6840-00-089-4664

Product ID:DIPHACINONE RODERE

MSDS Date:02/02/1996

FSC:6840

NIIN:00-089-4664

MSDS Number: BZNQL === Responsible Party ===

Company Name: ARCHEM CORPORATION

Address:1514 11TH STREET

City:PORTSMOUTH

State:OH ZIP:45662 Country:US

Info Phone Num:800-635-1125 614-353-1125 Emergency Phone Num:800-635-1125 614-3

53-1125

**CAGE:ARCHE** 

=== Contractor Identification ===

Company Name: ARCHEM CORPORATION

Address:1514 ELEVENTH STREET

City:PORTSMOUTH

State:OH ZIP:45662

Phone:(614) 353-1125

**CAGE:ARCHE** 

Company Name: NO VENDOR HAS BEEN NAMED FOR THIS LINE.

Box:UNKNOW CAGE:NO672

Company Name: THE W.H. SMITH HARDWARE CO

Address:1000 DUPONT ROAD

Box:599

City:PARKERSBURG

State:WV

ZIP:26102-0599

Country:US

Phone:304-422-6578

CAGE:8W529

======= Composition/Information on Ingredients ========

Ingred Name:DIPHAC

INONE (SARA III) CAS:82-66-6

RTECS #:NK5600000 Fraction by Wt: 0.005%

Other REC Limits: NONE RECOMMENDED

Ingred Name: INERT INGREDIENTS

Fraction by Wt: 55-57%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PARAFFIN WAX

CAS:8002-74-2

RTECS #:RV0350000 Fraction by Wt: 38-40%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3 (FUME)

ACGIH TLV:2 MG/M3 (FUME); 9394

Ingred Name: HEAVY DUTY RED BINDING TAPE (8 FT BY 3/4 IN. MIN W)

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:NONE SPECIFIED** 

**ACGIH TLV:NONE** 

**SPECIFIED** 

========= Hazards Identification ===============

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 1.5MG/KG(RTECS 93-3)

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE DEPRESSION OF THE SYNTHESIS OF SUBSTANCES WHICH ARE ESSENTIAL TO BLOOD CLOTTING. LD50 DERMAL RAT IS 200MG/KG-RTECS 93-3)INGEST:MAY CAUSE GI TRACT IRRITATION.

INHAL:MAY CAUSE RESPIRATORY IRRI TATION.T

OXIC(LC50 INHAL RAT IS 2GM/M3/4H- RTECS 93-3).

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Effects of Overexposure:BLOOD IN URINE, NOSE BLEED, GUMS BLEEDING, WEAKNESS AND BLACK COLORATION OF THE STOOL DUE TO PRESENCE OF BLOOD.

Medical Cond Aggravated by Exposure: NONE.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND

WATER. EYES: FLUSH WITH WATER FOR 15 MINUTES. INHALATION: MOVE TO FRESH
AIR. INGESTION: GET PROMPT MEDICAL ATTENTION. ADMINISTER PHYTONADIONE CON TAINING VITAMIN K. TOUCH BACK OF THROATTO INDUCE VOMITING.
======================================
Flash Point:NONE Extinguishing Media:RERGULAR ABC TYPE - CARBON DIOXIDE OR FOAM. Fire Fighting Procedures:AIM AT BASE OF FIRE. USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Jnus
ual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.
======================================
Spill Release Procedures:VENTILATE AREA. USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT. SWEEP OR VACUUM; DO NOT CREATE DUST; PLACE IN A DRY CONTAINER FOR DISPOSAL. CLEAN SPILL AREA WITH SOAP AND WATER.
Neutralizing Agent:NOT APPLICABLE.
Handling and Storage Precautions:STORE BELO  V 80F IN A COOL, DRY, WELL  VENTILATED AREA OUT OF REACH OF PETS AND CHILDREN. KEEP CONTAINER  CLOSED WHEN NOT IN USE.  Other Precautions:AVOID CONTAMINATION. DO NOT STORE NEAR FOOD.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN WINDY AREA,USE MASK OR DUST RESPIRATORS. /entilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:DISPOSABLE GLOVES. Eye Protection:DUST PROOF GOGGLES, IF IN WINDY
AREA.  Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY
SHOWER.  Nork Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET  CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK  AREA.
Supplemental Safety and Health NONE
======================================

HCC:N1

Decomp Temp:Decomp Text:600F,316C Solubility in Water:INSOLUBLE Appearance and Odor:LIGHT RED. 3/8"- 3/16"- OR 3/4" SLUGS. ODOR NOT REPORTED.

========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:DIPHACINONE DECOMPOSES ABOVE 600F. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE
========= Disposal Considerations =============

Percent Volatiles by Volume:0

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS. SEE E.P.A. DIRECTIONS FOR LAND F ILL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular s ituation.