View NSN Online: https://aerobasegroup.ae/nsn/6750-01-165-5425

EASTMAN KODAK COMPANY -- 199 7915 VERSAMAT 885 DEVELOPER STARTER

6750-01-165-5425

Product ID:199 7915 VERSAMAT 885 DEVELOPER STARTER

MSDS Date:04/09/1997

FSC:6750

NIIN:01-165-5425

MSDS Number: BZQYC === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS

:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

Company Name: FULLER AND D ALBERT INC

Address:3170 CAMBELL

Box:2706 City:FAIRFAX State:VA

ZIP:22031-2302 Country:US

Phone:703-591-8000

CAGE:82960

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 60-65%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM BROMIDE

CAS:7647-15-6

RTECS #:VZ3150000 Fraction by Wt: 30-35%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ACETIC ACID (CERCLA)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDE

D

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9596

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========= Hazards Identification ===============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXPECTED TO LOW HAZARD FOR

INHALATION AND INGESTION AND SKIN CONTACT. EXPOSURE MAY CAUSE EYE

IRRITATION. CHRONIC: NONE SPECIFIED BY MA

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:EYES-IRRITATION. SKIN/INHALED/INGESTED-NONE SPECIFIED.
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES-IMMEDIATELY FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENT ION. REMOVE
CONTAMINATED CLOTHES & SHOES. WASH CLOTHING BEFORE REUSE. DESTROY OR THORO UGHLY CLEAN CONTAMINATED SHOES.
======================================
Flash Point:NON-COMBUSTIBLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
====== Accidental Release Measures ============
Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:KEEP AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Other Precautions:NO SPECIAL PRECAUTIONARY MEASURES SHOULD BE NEEDED
UNDER ANT
ICIPATED CONDITIONS OF USE.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. DLA-HMIS: USE NIOSH/MSHA APPROVED RESPIRATOR IF NEEDED. IF RESPIRATORS ARE USED A PROGRAM IN ACCORDANCE WITH OSHA STANDARD 29CFR 1910.134 SHOULD BE ESTABLISHED. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. MANUFACTURER SAYS 10 ROOM VOLUMES/HOUR.

Protective Gloves: NATURAL RUBBER AND NATURAL RUBBER BLEND. Eye Protection: SAFETY GLASSES/CHEM ICAL SPLASH GOGGLES.

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER, WASHING FACILITIES.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

======== Physical/Chemical Properties ==========

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres

Vapor Pres :18MM @ 20C Vapor Density:0.6 Spec Gravity:1.34 pH: