

ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION -- AUTOMATIC DRAIN RELIEF --
7930-01-079-6968

===== Product Identification =====

Product ID:AUTOMATIC DRAIN RELIEF

MSDS Date:05/01/1991

FSC:7930

NIIN:01-079-6968

MSDS Number: BZSWR

=== Responsible Party ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Info Phone Num

:612-293-2233

Emergency Phone Num:800-328-0026

CAGE:DO852

=== Contractor Identification ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Phone:612-293-2233

CAGE:DO852

Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.

Address:ECOLAB CENTER

Box:City:ST PAUL

State:MN

ZIP:55102

Country:US

Phone:800-352-5326

CAGE:85884

===== Composition/Information on Ingredients =====

Ingred N

ame:ISOPROPYL ALCOHOL (SARA 313)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 2.5%
Other REC Limits:980 MG/M3;STEL 1225
OSHA PEL:980 MG/M3
ACGIH TLV:NOT EST.

Ingred Name:PRODUCT CONTAINS BACTERIAL ENZYME COMPLEX, CERTIFIED
SALMONELLA NEGATIVE.

Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity
:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE TO
CONCENTRATE: SKIN/EYES: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE
STOMACH DISTRESS, NAUSEA, VOMITING.

===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY W/COOL RUNNING WATER. REMOVE
CONTACTS. CONTINUE FLUSHING 15 MINUTES. SKIN: FLUSH W/PLENTY COOL
RUNNING WATER. WASH THOROUGHLY W/SOAP & WATER. INGESTION: RINSE
MOUTH; THEN DRINK 1-2 GLA
SSES WATER. DON'T INDUCE VOMITING. NEVER
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF
IRRITATION/DISCOMFORT PERSIST, CALL DR.

===== Fire Fighting Measures =====

Flash Point:130F,54C
Fire Fighting Procedures:PRODUCT DOES NOT SUPPORT COMBUSTION
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RINSE SMALL AMOUNTS TO SANITARY SEWER. DRAIN
W/PLENTY OF WATER. MOP UP S

