View NSN Online: https://aerobasegroup.com/nsn/8340-00-262-5767

TACC INTERNATIONAL CORP. -- MA602 LIQUID TENT PATCHING ADHESIVE -- 8340-00-262-5767

Product ID:MA602 LIQUID TENT PATCHING ADHESIVE

MSDS Date:06/10/1994

FSC:8340

NIIN:00-262-5767

Kit Part:Y

MSDS Number: BZXRT === Responsible Party ===

Company Name: TACC INTERNATIONAL CORP. Address: AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA ZIP:02370 Country:US

Info

Phone Num:617-878-7015

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:0HZU1

=== Contractor Identification ===

Company Name: TACC INTERNATIONAL CORP Address: AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA ZIP:02370 Country:US

Phone:781-878-7015

CAGE:0HZU1

======= Composition/Information on Ingredients ========

Ingred Name: TOLUENE (IARC CARC- GROUP 3) *96-2*

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 5-20%

Other REC Limits:375 MG/CUM

OSHA PEL:100 PPM ACGIH TLV:100 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ACETONE; DIMETHYL KETONE; 2-PROPANONE

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 50-75% OSHA PEL:2400 MG/CUM ACGIH TLV:750 PPM EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: UPPER RESPIRATORY

DRYNESS/IRRITATION, MENTA

L DEPRESSION/NARCOSIS. CHRONIC EFFECTS OF

OVEREXPOSURE TO SOLVENT VAPORS COULD LEAD TO PERMANENT EFFECTS TO THE NERVOUS SYSTEM, BODY ORGANS/BRAIN. EYES: IRRITANT. SKIN: REMOVAL OF SKINOILS, IRRITATION, DERMATITIS, SENSITIZATION.

INGESTION: MAY BE HARMFUL/FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: HEADACHE, DIZZINESS, NAUSEA, DRYNESS, IRRITATION, DROWSINESS, NARCOSIS, DIFFICULTY IN BREATHING

First Aid:INHALATION: GET FRESH AIR. SKIN: WASH W/MILD SOAP & WATER, APPLY A MILD CREAM. EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

========= Fire Fighting Measures ===============

Flash Point Method:TCC

Flash Point:0F Lower Limits:1.1 Upper Limits:12.8

Extinguishing Media: FOAM, DRY CHEMICAL, CO2, WATER SPRAY/FOG

Fire Fighting Procedures: AVOID BREATHING SMOKE. USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER TENDS

TO SPREAD BURNING LIQUID IF LARGE AMOUNTS USED. Unusual Fire/Explosion Hazard:FLAMMABLE. VAPORS MAY IGNITE EXPLOSIVELY/CAUSE FLASH FIRES. ELIMINATE IGNITION SOURCES. NO SMOKING. USE ADEQUATE CROSS VENTILATION TO REMOVE ODOR/VAPORS. (SUPP)
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN APPROPRIATE ABSORBENT.
============= Handling and Storage ==============
Handling an d Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AT 60-95F OUT OF SUN. USE ADEQUATE VENTILATION TO AVOID BREATHING VAPOR WHEN COVER IS REMOVED. Other Precautions:GROUND ALL EQUIPMENT WHEN HANDLING FLAMMABLE SOLVENTBORNE MATERIALS. ELECTRICALLY GROUND ALL CONTAINERS DURING TRANSFER.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:IF VAPORS EXCEED TLV, USE A SELF CONTAINED ORGANIC MASK NIOSH APPROVED. Ventilation:S
UFFICIENT TO KEEP WORKROOM CONCENTRATION 1 Spec Gravity:0.87275
Evaporation Rate & Dor: Reference: FASTER THAN N-BU ACETATE Appearance and Odor: OPAQUE KETONE ODOR Percent Volatiles by Volume: 75.1
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS & BASES Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY Hazardous Decomposition Products:CO, CO2
======= Disposal Consideratio

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. UN1133.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.