View NSN Online: https://aerobasegroup.ae/nsn/6550-01-153-6988

BIOMERIEUX VITEK INC -- V7052 FERRIC CHLORIDE 10% -- 6550-01-153-6988

Product ID:V7052 FERRIC CHLORIDE 10% MSDS Date:04/03/1996 FSC:6550 NIIN:01-153-6988 MSDS Number: BZXTY === Responsible Party === Company Name: BIOMERIEUX VITEK INC Address:595 ANGLUM DRIVE City:HAZELWOOD State:MO ZIP:63042-5000 Country:US Info Phone Num:800-638-4835/314-854-0344 **Emergency Phone** Num:314-854-0344/800-638-4835 CAGE:0Z9R8 === Contractor Identification === Company Name: BIOMERIEUX VITEK INC Address:595 ANGLUM Box:City:HAZELWOOD State:MO ZIP:63042-5000 Country:US Phone:800-638-4835/314-854-0344 CAGE:0Z9R8

Ingred Name:FERRIC CHLORIDE CAS:7705-08-0 RTECS #:LJ9100000 Fraction by Wt: 10% ACGIH TLV:1 MG/CUM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 90%

LD50 LC50 Mixture:ORAL LD50(RAT): 450 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: IRRITATION TO MUCOUS MEMBRANES & RESPIRATORY TRACT, LUNG DAMAGE. SKIN: IRRITATION, CHEMICAL BURNS, SENSITIZATION. EYES: IRRITATION, BURNS. INGESTION: GI IRRITATION. LARGE AMOUNTS WILL CAUS E MASSIVE IRON ABSORPTI ON WHICH CAUSES DAMAGE TO SYSTEMIC BLOOD VESSELS & LIVER. (SEE SUPP) Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, BURNING, BURNS, BROWN DISCOLORATION, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN. Medical Cond Aggravated by Exposure: PRE-EXISTING RESPIRATORY &/SKIN DISEASES. First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. SKIN: WASH THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS.

INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS/CONVULSING PERSON. IF CONSCIOUS, RINSE MOUTH W/WATER/MILK. GIVE MILK/WATER TO DILUTE. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point:NONE Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING AREAS. Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE

====== Acciden

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT (GLOVES & GOGGLES). COLLECT W/ABSORBENT MATERIAL & PLACE IN A CONTAINER FOR DISPOSAL.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. RINSE IMMEDIATELY W/PLENTY OF WATER. AVOID BREATHING, TOUCHING, SMOKING & CONTACT W/SKIN & EYES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:

IF EXPOSURE EXCEED THE EXPOSURE LIMITS, WEAR AN APPROVED DUST/MIST RESPIRATOR/SUPPLIED AIR RESPIRATOR. Ventilation: GENERAL LABORATORY VENTILATION SHOULD BE ADEQUATE. Protective Gloves: BUTYL RUBBER/NEOPRENE Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: IMPERVIOUS CLOTHING. Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health HEALTH HAZARDS CONT'D: PROLONGED/REPEATED EXPOSURE MAY CAUSE DERMATITIS. CHRONIC EXPOSURE MAY DAMAGE TO THE LIVER & PANCREAS. Vapor Pres: AS WATER Vapor Density: AS WATER Spec Gravity:1.15 pH:4.9 Solubility in Water:COMPLETE Appearance and Odor:BRIGHT YELLOW LIQUID W/NO ODOR. Percent Volatiles by Volume:90 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ALLYL CHLORIDE, AROMATIC MONOMERS, ETHYLENE OXIDE, CORROSIVE TO METALS Stability Condition to Avoid: EXCESSIVE HEAT. Hazardous Decomposition Products: HYDROGEN CHLORIDE GAS Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL

COLLECTED FOR PROPER DISPOSAL. Disclaimer (provided with this information by the compiling agencies):

REGULATIONS. CORROSIVE, UN2582. EMPTY CONTAINERS SHOULD BE

This information is formulated for use by elements of the Department of Defense. The United S tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.