View NSN Online: https://aerobasegroup.ae/nsn/6525-01-088-3060

AIR TECHNIQUES INC. -- DEVELOPER,CODE 0 -- 6525-01-088-3060

Product ID:DEVELOPER,CODE 0 MSDS Date:02/15/1995 FSC:6525 NIIN:01-088-3060 Kit Part:Y MSDS Number: CBTDR === Responsible Party === Company Name: AIR TECHNIQUES INC. Address:70 CANTIAQUE ROCK ROAD City:HICKSVILLE State:NY ZIP:11801 Country:US Info Phone Num:516-433-7676 Emergency Phone Num:516-433-7676 CAG E:53542 === Contractor Identification === Company Name: AIR TECHNIQUES INC. Address:70 CANTIAQUE ROCK ROAD Box:City:HICKSVILLE State:NY ZIP:11801 Country:US Phone:516-433-7676 CAGE:53542 Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60 - 96% Other REC Limits:NONE RECOMMENDED **OSHA PEL:NOT RELEVANT** ACGIH TLV:NOT RELEVANT Ingred Name:SODIUM SULFITE

CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9596 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMME NDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN. ACUTE-EYES:MAY CAUSE IRRITATION. SKIN:MAY CAUSE IRRITATION AND ALLERGIC REACTION. INHALATION:NOT LIKELY AT AMBIENT TEMPERATURE . ORAL:MAY BE HARMFUL IF INGESTED. MAY CAUSE AB DOMINAL PAIN. CHRONIC- NONE. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, PAIN, TEARING, ALLERGIC SKIN REACTION Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS OR EYE PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:FLUSH WITH WATE

R & WASH WITH A NON-ALKALINE TYPE SKIN CLEANER. EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. ORAL :IF CONSCIOUS, INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL

FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: VENTILATE AREA. NEUTRALIZE WITH WEAK ACID. ABSORB SPILL WITH VERMICULITE. PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neut

ralizing Agent:WEAK ACID

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLES. KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN. STORE BETWEEN 50F/10C AND 77F/25C. DO NOT FREEZE.

Other Precautions: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACES WILL MINIMIZE SKIN REACTION.

Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS Protective Gloves:RUBBER/LATEX Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING Work Hygienic Practices:OBS HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Spec Gravity:1.1 pH:10.3 Solubility in Water:COMPLETE Appearance and Odor:LIGHT YELLOW LIQUID - SLIGHT ODOR Percent Volatiles by Volume:60- 90

Stability Indicator/Materials to Avoid:YES STRONG ACIDS Stability Condition to Avoid:NONE Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, SULFUR DIOXIDE MAY BE FORMED.

Waste Disposal Methods: DISCHARG

E, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF ALLOWED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.