

COURTAULDS AEROSPACE, INC -- PRO-SEAL 870C-12 MAGNESE DIOXIDE DISPERSION, #0870C1
-- 8030-01-395-2726

===== Product Identification =====

Product ID:PRO-SEAL 870C-12 MAGNESE DIOXIDE DISPERSION, #0870C1

MSDS Date:06/03/1994

FSC:8030

NIIN:01-395-2726

Kit Part:Y

MSDS Number: CBVDC

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

Stat

e:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGENATED TERPHENYLS (VP = 1.0)

CAS:61788-32-7

RTECS #:WZ6535000

Fraction by Wt: 35.0%

Oth

er REC Limits:NONE RECOMMENDED

OSHA PEL:0.5 PPM

ACGIH TLV:0.5 PPM

Ingred Name:MANGANESE DIOXIDE (SARA 313)

CAS:1313-13-9

RTECS #:OP0350000

Fraction by Wt: 40.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 CEILING

ACGIH TLV:5 MG/M3 (AS MN)

Ingred Name:MAGNESIUM CHROMATE (SARA 313)

CAS:13423-61-5

Fraction by Wt: 25.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1 MG/M3 AS CR

ACGIH TLV:0.05 MG/M3 AS CR

Ingred Name:DIPHENYL GUANIDINE

CAS:102-06-7

Fraction by Wt: 200F,>93C

Extinguishing Me

dia:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MAGNESE DIOXIDE RESULTING IN OXIDATION & POSSIBLE IGNITION OF HYDROCARBON VEHICLE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/SUITABLE SOLVENT.

===== Handli
ng and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING. AVOID INGESTION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:GENERAL VENTILATION.

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:644F,340

C

Vapor Density:NONVOLATIL

Spec Gravity:1.801

Evaporation Rate & Reference:NON VOLATILE

Appearance and Odor:BLACK PASTE

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EASILY OXIDIZABLE MATERIALS.

Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN, MANGANESE
& CHROMIUM COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA #D-007

HAZARDOUS WASTE. DISPOSE OF IN

COMPLIANCE W/FEDERAL & STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respo

nsibility for the suitability of this information to their particular situation.