View NSN Online: https://aerobasegroup.ae/nsn/6830-01-370-6209

LAROCHE CHEMICALS INC -- HFC-134 A,R-134 A

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 6830

NIIN: 01-370-6209 MSDS Date: 08/15/1994 MSDS Num: CCCJK

Product ID: HFC-134 A,R-134 A

MFN: 01

Responsible Party Cage: 0YFW2

Name: LAROCHE CHEMICALS INC Address: 1134 JEFFERSON HWY

Box: 5500

City: GRAMERCY LA 7

0052

Info Phone Number: 504-869-2365/800-248-6336

Emergency Phone Number: 800-528-4963/800-424-9300(CHEMTREC)

Preparer's Name: UNKNOWN

Review Ind: Y Published: Y

\_\_\_\_\_\_

Contractor Summary

\_\_\_\_\_

Cage: 0YFW2

Name: LAROCHE CHEMICALS INC Address: 1134 JEFFERSON HWY

Box: 5500

City: GRAMERCY LA 70052

Phone: 800-528-4963

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_\_

Item Name: TETRAFLUOROETHANE, TECHNICAL

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: LB UI Container Qty: 0

Type of Container: UNKNOWN

\_\_\_\_\_\_

Ingredients

\_\_\_\_\_\_

Cas: 811-97-2

Name: 1,1,1,2-TETRAFLUOROETHANE (HFC-134A)

% Wt: 99.9

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

======

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_\_

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS NOT KNOWN.

Route Of Entry Inds - Inhalation: YES

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT, HEART. ACUTE-OVEREXPOSURE BY INHALATION TO VERY HIGH CONCENTRATIONS MAY CAUSE HEART IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. LIQUID CONTACT/ESC

APING VAPOR S CAN

CAUSE EYE AND SKIN FROSTBITE. INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE. CHRONIC- UNKNOWN.

**Explanation Of Carcinogenicity: NONE** 

Signs And Symptions Of Overexposure: FROSTBITE, ASPHYXIATION, IRRITATION, HEART IRREGULARITIES, UNCONSCIOUSNESS, DEATH

Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE CENTRAL NERVOUS SYSTEM OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

Firs

t Aid: EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. GET IMMEDIATE MEDICAL ATTENTION. SKIN:FLUSH WITH WATER FOR 15 MINUTES. TREAT FOR FROSTBITE BY SLOWLY WARMING UP THE EXPOSED AREA. CALL PHYSICIAN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY. CALL A PHYSICIAN. ORAL:INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE.

\_\_\_\_\_\_

Handling and Disposal

Spil

I Release Procedures: WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA ESPECIALLY LOW OR ENCLOSED PLACES WHERE HEAVY VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. STOP DISCHARGE IF POSSIBLE.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: THIS IS NOT A LISTED HAZARDOUS WASTE. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. RECYCLE IF POSSIBLE. IF NOT, SEND TO AN EPA APPROVED INCINERATOR.

Handling And Storage Precautions: STORE IN COOL, VENTILATED, DRY AREA AWAY FR

## OM

FLAMES AND INCOMPATIBLE MATERIALS. AVOID TEMPERATURES ABOVE 125 F (52C). Other Precautions: AVOID BREATHING VAPORS. AVOID EYE OR SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. DO NOT MIX WITH AIR FOR LEAK TESTING ABOVE ATMOSPHERIC PRESSURE. K EEP OUT OF REACH OF CHILDREN.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_\_

Flash Point Tex

t: NONE

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: CYLINDERS MAY RUPTURE. DECOMPOSITION MAY OCCUR FORMING TOXIC GASES. COMBUSTIBLE AT PRESSURE AS LOW AS 5.5 PSIG AT 351F (177C) WHEN MIXED WI

TH AIR >60%.

\_\_\_\_\_\_

## **Control Measures**

\_\_\_\_\_\_

Respiratory Protection: NOT NORMALLY REQUIRED. WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR RESPIRATOR IF A LARGE RELEASE OCCURS.

Ventilation: NORMAL VENTILATION. LOCAL EXHAUST NEEDED WHEN LARGE AMOUNTS ARE RELEASED.

Protective Gloves: LINED BUTYL WHEN HANDLING LIQUID

Eye Protection: CH

EMICAL SPLASH GOGGLES WHEN HANDLE LIQ.

Other Protective Equipment: EYEBATH, SAFETY SHOWER, PROTECTIVE CLOTHING Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health: THIS NSN IS A NONSUPPLY NSN. USE 6830-01-370-8756 WITH UNIT OF ISSUE: CY AND NET WEIGHT: 125 POUNDS IN A CYLINDER (PER TIR).

\_\_\_\_\_\_

Physical/Chemical Properties

\_\_\_\_\_\_

======= HCC: G3 NRC/State LIC No: NOT RELEVANT B.P. Text: -16F,-27C M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Pres: 4963 @ 77F Vapor Density: 3.2 Spec Gravity: 1.21 (LIQUID) Viscosity: NOT RELEVANT Evaporation Rate & Evaporation R Solubility in Water: 0.15% Appearance and Odor: COLORLESS LIQUEFIED GAS - FAINT ETHEREAL ODOR Percent Volatiles by Volume: 100 Corrosion Rate: UNKNOWN \_\_\_\_\_ Reactivity Data \_\_\_\_\_ \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: OPEN FLAME, HIGH TEMPERATURES, GLOWING METAL **SURFACES** Materials To Avoid: ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM (BE) Hazardous Decomposition Products: MAY FORM HYDROGEN FLUORIDE AND POSSIBLY CARBONYL FLUORIDE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT \_\_\_\_\_ Toxicological Informat \_\_\_\_\_\_ \_\_\_\_\_\_ **Ecological Information** \_\_\_\_\_ \_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_

\_\_\_\_\_\_

Regulatory Information

\_\_\_\_\_

Other Information

\_\_\_\_\_\_

\_\_\_\_\_

Transportation Information

\_\_\_\_\_

Responsible Party Cage: 0YFW2

Trans ID NO: 130073

Product ID: HFC-134 A,R-134 A MSDS Prepared Date: 08/15/1994

Review Date: 11/06/1996

MFN: 1

Radioactivity: NOT RELEVANT Net Unit Weight: UNKNOWN

Multiple KIT Number: 0

Review IND: Y Unit Of Issue: LB

Contai ner QTY: 0

Type Of Container: UNKNOWN

Additional Data: PER MSDS, DOMESTIC SHIPMENTS OF R-134A, PROPER SHIPING

NAME:REFRIGERANT GAS, N.O.S. (1,1,1,2-TETRAFL UOROETHANE), HAZARD CLASS:2.2,

UN ID NUMBER: UN1078. INTERNATIONAL, PROPER SHIPPING

NAME:1,1,1,2-TETRAFLUOROETHANE AND UN ID NUMBER: UN3159. THIS IS NONSUPPLY

NSN

\_\_\_\_\_\_

**Detail DOT Information** 

\_\_\_\_\_\_

DOT PSN Code: OAB DOT Proper Shipping

Name: 1, 1, 1, 2-\$TETRAFLUOROETHANE OR REFRIGERANT GAS R

134A

Hazard Class: 2.2 UN ID Num: UN3159

Label: NON-FLAMMABLE GAS Packaging Exception: 306

Non Bulk Pack: 304 Bulk Pack: 314,315 Max Qty Pass: 75 KG Max Qty Cargo: 150 KG Vessel Stow Req: A

\_\_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_\_

IMO PSN Code: OKL

IMO Proper Shipping Name: 1,1,1,2-\$TETRAFLUOROETHANE

IMDG Page Number: 2181

UN Number: 3159

UN H

azard Class: 2(2.2)
IMO Packaging Group: Subsidiary Risk Label: EMS Number: 2-09

MED First Aid Guide NUM: 350

Detail IATA Information

\_\_\_\_\_

IATA PSN Code: XRL IATA UN ID Num: 3159

IATA Proper Shipping Name: 1,1,1,2-\$TETRAFLUOROETHANE

IATA PSN Modifier: (R134A)

IATA UN Class: 2.2

IATA Label: NON-FLAMMABLE GAS

Packing Note Passenger: 200 Max Quant Pass: 75 KG Max Quant Cargo: 150 KG

Packa

ging Note Cargo: 200

\_\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_\_

AFI PSN Code: XRL

AFI Proper Shipping Name: 1,1,1,2-\$TETRAFLUOROETHANE

AFI PSN Modifier: (R134A) AFI Hazard Class: 2.2 AFI UN ID NUM: UN3159 Special Provisions: P5

Back Pack Reference: A6.3. A6.5

\_\_\_\_\_

HAZCOM Label

Product ID: HFC-134 A

,R-134 A Cage: 0YFW2

Company Name: LAROCHE CHEMICALS INC

Street: 1134 JEFFERSON HWY

PO Box: 5500

City: GRAMERCY LA Zipcode: 70052

Health Emergency Phone: 800-528-4963/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 11/06/1996

Status Code: C

MFG Label NO: UNKNOWN Label Date: 11/06/1996 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING Health Hazard: Moderate

Fire Hazard: None

Reactivity Hazard: None

Contact Hazard: Moderate

Hazard And Pre

cautions: TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT, HEART.

ACUTE- OVEREXPOSURE BY INHALATION TO VERY HIGH CONCENTRATIONS MAY CAUSE HEART IRREGULARITIES, UNCONSCIOUSNESS/DEATH. LIQUID CONTACT/ESCAPING VAPORS C AN CAUSE EYE & DESCRIPTION OF EXPOSURE. CHRONIC- UNKNOWN. STORE IN VENTILATED AREA. IF LEAKING, VENTILATE AREA ESPECIALLY LOW/ENCLOSED PLACES. FIRST A ID- EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. CALL PHYSICI

AN. SKIN:FLUSH WITH
WATER. TREAT FOR FROSTBITE BY SLOWLY WARMING UP EXPOSED AREA. CALL PHYSICIAN.
INHALED:REMOVE TO FRESH AIR. P ROVIDE CPR/OXYGEN IF NECESSARY. ORAL:UNLIKELY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends sai

d information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.