

COURTAULDS AEROSPACE INC -- 5750 519X303 SD HI TEMP LOW DENSITY MODIFIED EPOXY --
8010-00-139-3661

===== Product Identification =====

Product ID:5750 519X303 SD HI TEMP LOW DENSITY MODIFIED EPOXY

MSDS Date:04/04/1995

FSC:8010

NIIN:00-139-3661

MSDS Number: CCGDK

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209-50

00

Country:US

Info Phone Num:818-240-2060/800-228-6636

Emergency Phone Num:800-228-6636/818-240-2060

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:BUTYL ACETATE (N-BUTYL ACETATE) *96-3*

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 20

%
Other REC Limits:150 PPM
OSHA PEL:710 MG/CUM
ACGIH TLV:713 MG/CUM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:EPICHLOROHYDRIN, BISPHENOL A, TOLUENEDIISOCYANATE POLYMER
96-3
CAS:37312-33-7
Fraction by Wt: 25%

Ingred Name:METHYL ETHYL KETONE, 2-BUTANONE *96-3*
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 30%
Other REC Limits:590 MG/CUM
OSHA PEL:200 PPM
ACGIH TLV:590 MG/CUM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:STRONTIUM CHROMATE (SUSPECTED HUMAN CARCINOGEN BY ACGIH,
HUMAN CARCINOGEN BY IARC - GROUP 1; CARC BY NTP) *96-3*
CAS:7789-06-2
RTECS #:GB3240000
Fraction by Wt: 10%
Other REC Limits:1 UG/CUM A1
OSHA PEL:100 UG/CUM
ACGIH TLV:0.001 MG/CUM IC
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:SILICA, AMORPHOUS, PRECIPITATED AND GEL, SYNTHETIC
CRYSTALLINE-FREE SILICA GEL *96-3*
CAS:112926-00-8
RTECS #:VV7315000
Fraction by Wt: 1
Spec Gravity:1.056
Appearance and Odor:LIQUID W/SOLVENT ODOR
Percent Volatiles by Volume:70.5

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Stability Condition to Avoid: HEAT, SPARKS, FLAME, ELECTRICAL EQUIPMENT

Hazardous Decomposition Products: CO₂, CO

===== Disposal Considerations =====

Waste Disposal Methods: WHEN DISPOSING OF THIS MATERIAL, ENSURE THAT IT IS PACKAGED, STORED, TRANSPORTED & OTHERWISE MANAGED IAW/LOCAL, STATE & FEDERAL REGULATIONS. FLAMMABLE LIQUID UN1263.

Disclaimer (

provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.