View NSN Online: https://aerobasegroup.ae/nsn/1377-01-054-9950

OEA AEROSPACE INC. -- 51093-3 CORD,CONFINED,DETONATING,FLEXIBLE -- 1377-01-054-9950

Product ID:51093-3 CORD, CONFINED, DETONATING, FLEXIBLE MSDS Date:01/12/1996 FSC:1377 NIIN:01-054-9950 **MSDS Number: CCGHX** === Responsible Party === Company Name: OEA AEROSPACE INC. Address: HWY 12 AND ET RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Info Phone Num:707-422 -1880 Emergency Phone Num:707-422-1880 Preparer's Name:S SCHOOLFIELD/J KOHRING CAGE:17610 === Contractor Identification === Company Name: OEA AEROSPACE INC Address:3530 BRANSCOMBE RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Phone:707-422-1880 CAGE:17610

Ingred Name: HEXANITROSTILBENE I ACGIH TLV:10 MG/CUM

Ingred Name:IRON *96-3* CAS:7439-89-6 RTECS #:NO4565500 ACGIH TLV:0.05 MG/CUM

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION TO THE NOSE, THROAT, MUCOUS MEMBRANE. LEAD OVEREXPOSURE: CNS DISORDERS. SKIN/EYES: IRRITATION. INGESTION: TOXIC. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, DROWSINESS, SEIZURES, COMA, REDNESS.

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Extinguishing Media:DON'T ATTEMPT TO EXTINGUISH. Fire Fighting Procedures:EVACUATE AREA. USE SCBA TO CONTAIN RESULTING FIRE.

Unusual Fire/Explosion Hazard: IF EXPOSED TO FIRE, THE UNIT MAY ACTUATE/EXPLODE.

======== Accidental Release Measures

Spill Release Procedures:CALL LOCAL HAZARDOUS MATERIALS TEAM. REMOVE IGNITION SOURCES. MOISTEN W/FINE WATER SPRAY. USE FLAME RETARDANT CLOTHING, SAFETY GLASSES & NON-SPARKING TOOLS. REMOVE FOR PROPER DISPOSAL.

Handling and Storage Precautions:DON'T STORE AT TEMPS AT/>350F. Other Precautions:ANTI-STATIC BAGS SHALL BE USED FOR PACKAGING & STORAGE.

======= Exposure Controls/Personal P

rotection =========

Respiratory Protection:USE NIOSH APPROVED HEPA RESPIRATOR IF PEL/TLV IS EXCEEDED. Ventilation:LOCAL EXHAUST: REQUIRED FOR TEST FIRING. Protective Gloves:POLY-BENZ-IMMIDAZOLE/LEATHER Eye Protection:SAFETY GLASSES AS A MINIMUM Other Protective Equipment:FLAME RETARDANT COAT & GROUNDING STRAPS TO PREVENT ELECTROSTATIC DISCHARGE. Supplemental Safety and Health

Solubility in Water:LOW Appearance a nd Odor:HNS: OFF-WHITE POWDER; ODORLESS

Stability Indicator/Materials to Avoid:YES
ALKALIS, CORROSIVES & OXIDIZERS, WATER.
Stability Condition to Avoid:MECHANICAL SHOCK, STATIC ELECTRICITY, HEAT, FLAME/SPARKS.
Hazardous Decomposition Products:CO, NITROGEN, NITROUS OXIDES, HYDROGEN, CARBON, CO2, LEAD, LEAD OXIDE.

Waste Disposal Methods:UNFIRED UNITS/W

ASTE SHOULD BE DISPOSED AS

REACTIVE HAZARDOUS WASTE D003 &/LEAD D008/FIRED CORD UNITS SHOULD BE DISPOSED OF AS LEAD D008 HAZARDOUS WASTE, IAW/FEDERAL, STATE & LOCAL REGULATIONS. UN 0367.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabil

ity for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.