

LOCTITE CORP -- 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE

=====

MSDS Safety Information

=====

FSC: 8040

NIIN: 01-129-7171

MSDS Date: 05/15/1996

MSDS Num: CCGKG

Product ID: 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE

MFN: 04

Responsible Party

Cage: 7K128

Name: LOCTITE CORP

Address: 1001 TROUT BROOK CROSSING

Cit

y: ROCKY HILL CT 06067-3910

Info Phone Number: 203-571-5100

Emergency Phone Number: 203-571-5100

Preparer's Name: STEPHEN REPETTO

Review Ind: Y

Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 7K128

Name: LOCTITE CORP

Address: 705 N MT RD

City: NEWINGTON CT 06111

=====

Contractor Summary

=====

=====

Cage: 7K128

Name: LOCTITE CORP

Address: 705 N MT RD

City: NEWINGTON CT 06111

Phone: 312-689-6200

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Phone: 860-571-5100

=====

Item Description Information

=====

Item Manager: S9I

Item Name: ADHESIVE

Unit of Issue: BT

Quantitative Expression: 20000000169OZ

UI Container

Qty: 1

Ingredients

Cas: 24448-20-2
Name: AROMATIC DIMETHACRYLATE ESTER *96-2*
% Wt: 75-80

Cas: 3006-93-7
RTECS #: ON6125000
Name: MALEIMIDE, N,N'-M-PHENYLENEDI
% Wt: 10-15

Cas: 80-15-9
RTECS #: MX2450000
Name: CUMENE HYDROPEROXIDE
% Wt: 1-3
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 2
7813-02-1
Name: HYDROXYPROPYLMETHACRYLATE *96-2*
% Wt: 1-3

Cas: 67-56-1
RTECS #: PC1400000
Name: METHANOL (METHYL ALCOHOL), COLUMBIAN SPIRITS *96-2*
% Wt: 1-3
Other REC Limits: 200 PPM
OSHA PEL: 200 PPM
ACGIH TLV: 200 PPM
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 112945-52-5
RTECS #: VV7310000
Name: AMORPHOUS FUMED SILICA, COLLOIDAL SILICON DIOXIDE, AMORPHOUS SILICA DUST
(IARC CARCINOGEN-GROUP 3) *96-2*
% Wt: 1-3
Othe

r REC Limits: 20 MPPCF DUST IN AIR

Cas: 114-83-0
RTECS #: AJ2900000
Name: 2-PHENYLHYDRAZINE ACETIC ACID, ACETYLPHENYLHYDRAZINE
% Wt: 0.1-1

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINE
% Wt: 0.1-1

Cas: 110-16-7
RTECS #: OM9625000
Name: MALEIC ACID
% Wt: 0.1-1
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: SACCHARIN (ANIMAL CARCINOGEN BY IARC -
GROUP 2B) *96-2*
% Wt: 0.1-1
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

RTECS #: 9999999VO
Name: VOLATILE ORGANIC CONTENT: 8.3%; 91.3 GM/L
=====

Health Hazards Data
=====

LD50 LC50 Mixture: ORAL LD50(LAB ANIMAL): >5000 MG/KG
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: YES
OSHA: NO
Effects of Exposure: EYES: IRRITATION
TANT. SKIN: MAY CAUSE DERMATITIS ON PROLONGED
CONTACT IN SENSITIVE INDIVIDUALS. MAY AFFECT THE CNS.
Explanation Of Carcinogenicity: SEE INGREDIENTS.
Signs And Symptoms Of Overexposure: IRRITATION
Medical Cond Aggravated By Exposure: PERSONS W/PRE-EXISTING DERMATITIS
CONDITIONS.
First Aid: INGESTION: DON'T INDUCE VOMITING. KEEP INDIVIDUAL CALM. SKIN: WASH
W/SOAP & WATER. EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION
IN ALL CASES.
=====

=====

Handling and Disposal

=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. PLACE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE/DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE <100F. STORE IN PARTLY FILLED, CLOSED CONTAINER.

Other Precautions: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

=====

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: >200F

Lower Limits: 6% METHANOL

Upper Limits: 36% METHANOL

Extinguishing Media: CO2, FOAM, DRY CHEMICAL

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Protective Gloves: RUBBER/PLASTIC

Eye Protection: SAFETY G

LASSES/GOGGLES

=====

Physical/Chemical Properties

=====

B.P. Text: >300F

Vapor Pres: <5

Spec Gravity: 1.1

Solubility in Water: SLIGHT

Appearance and Odor: GREEN LIQUID W/MILD ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Materials To Avoid: NONE

Hazardous Decomposition Products:

BY FIRE/THERMAL DECOMPOSITION: IRRITATING
ORGANIC VAPORS

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

HAZCOM Label

=====

Product ID: 62040 RETAINING COMPOUND 620 HIGH TEMPERATURE

Cage: 7K128

Company Name: LOCTITE CO

RP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-571-5100

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: EYES: IRRITANT. SKIN: MAY CAUSE DERMATITIS ON PROLONGED
CONTACT IN SENSITIVE INDIVIDUALS. MAY AFFECT THE CNS.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements
of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
Unit

ed States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.