

VELSICOL CHEMICAL CORP -- MIL-P-6085B/PQ PREVENTIVE 160 -- 9150-00-223-4129

=====
Product Identification
=====

Product ID:MIL-P-6085B/PQ PREVENTIVE 160

MSDS Date:04/01/1995

FSC:9150

NIIN:00-223-4129

MSDS Number: CCHRJ

=== Responsible Party ===

Company Name:VELSICOL CHEMICAL CORP

Address:10400 W HIGGINS SUITE 600

City:ROSEMONT

State:IL

ZIP:60018

Country:US

Info Phone Num:708-298-9000

Emergency Pho

ne Num:708-298-9000

Preparer's Name:N.R. NETZEL

CAGE:VELSI

=== Contractor Identification ===

Company Name:VELSICOL CHEMICAL CORPORATION

Address:10400 W HIGGINS ROAD

Box:City:ROSEMONT

State:IL

ZIP:60018

Country:US

Phone:847-298-9000

CAGE:0Z6C4

Company Name:VELSICOL CHEMICAL CORPORATION

CAGE:VELSI

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM SULFONIC ACID SALTS

CAS:68608-26-4

Fraction by Wt: 4%

Other REC Limits:NONE RECOMMENDED

=====

Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: LOW ORAL AND DERMAL TOXICITY.
MISTS OR FUMES MAY CAUSE EYE AND SKIN IRRITATION, NAUSEA, VOMITING
RESPIRATORY IRRITATION. BARIUM COMPOUND IS A MODERATE SKIN IRRITANT
AND IS CORROSIVE TO THE EYES . CHRONIC: NONE SPECIFIED BY
MANUFACTURER.
Explanation of Carcinogenicity:NO INGREDIENT OF A
CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:INHALED-NAUSEA, VOMITING, RESPIRATORY
IRRITATION. SKIN-IRRITATION. EYES-IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN IF
IRRITATION DEVELOPS. SKIN-WASH WITH SOAP & WATER. INGESTED-DO NOT
INDUCE VOMITING! CALL A PHYSICIAN. INHALED-REMOVE TO FRESH AIR.
GIVE ARTIFICIAL RESPIRATION OR OXYGEN IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:440F,227C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-
CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN
CLOSED CONTAINERS. COOL WITH WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH AN INERT, ABSORBENT MATERIAL AND
REMOVE TO DISPOSAL CONTAINER. OBEY ALL RELEVANT LOCAL, STATE AND
FEDERAL REGULATIONS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM
SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS

IALS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IMPERMEABLE: RUBBER, BUTYL, LATEX.

Eye Protection:CHEMICAL SPLASH GOGGLES OR FACESHIELD.

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONT
AMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>450F,>232C

Vapor Pres:1

Spec Gravity: