

BURGESS INC. -- DRY BATTERY BA-804/U -- 6135-00-178-9527

=====
Product Identification
=====

Product ID:DRY BATTERY BA-804/U

MSDS Date:12/08/1994

FSC:6135

NIIN:00-178-9527

MSDS Number: CCJQW

=== Responsible Party ===

Company Name:BURGESS INC.

Address:FOOT OF EXCHANGE STREET

City:FREEPORT

State:IL

ZIP:61032

Country:US

Info Phone Num:815-235-8000 (OUT OF BUSINESS)

Emergency Phone Num:815-235-8000 (O

UT OF BUSINESS)

Preparer's Name:HMIS-VBA

CAGE:0KXZ0

=== Contractor Identification ===

Company Name:BURGESS INC

CAGE:09823

Company Name:BURGESS INC.

Address:FOOT OF EXCHANGE ST.

Box:City:FREEPORT

State:IL

ZIP:61032

Country:US

CAGE:0KXZ0

=====
Composition/Information on Ingredients
=====

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

Ingred Name:MERCURY (SARA III)

CAS:7439-97-6

RTECS #:OV4

550000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ZINC CHLORIDE (SARA III)
CAS:7646-85-7
RTECS #:ZH1400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3/2 STEL
ACGIH TLV:1 MG/M3/2STEL FUME92
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:AMMONIUM CHLORIDE (SARA III)
CAS:12125-02-9
RTECS #:BP4550000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3/20 STEL
ACGIH TLV:10 MG/M3 FUME; 9192
EPA
Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:MANGANESE DIOXIDE
CAS:1313-13-9
RTECS #:OP0350000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG MN/M3 CEILING
ACGIH TLV:5 MG MN/M3

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THESE BATTERIES ARE MANUFACTURED
"ARTICLES", WHICH DO NOT RESULT IN EXPOSURE TO A HAZARDOUS CHEMICAL

UNDER NORMAL CONDITIONS OF USE, AS DEFINED IN OSHA HCS 1910.1200(C). WHEN HANDLING RUPTURED BATTERY DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:IF BATTERY IS BROKEN, FUMES OR DUSTS MAY CAUSE EYES, SKIN AND RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure:NONE

=====
First Aid
Measures =====

First Aid:IF EXPOSED TO BROKEN BATTERY CONTENTS: SKIN: WASH WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SEE DOCTOR. INHALATION:REMOVE TO FRESH AIR. INGESTION:GET PROMPT MEDICAL ATTENTION.

=====
Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fight

ing Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:MAY EMIT TOXIC FUMES OF MERCURY, AMMONIA AND METAL OXIDES.

=====
Accidental Release Measures =====

Spill Release Procedures:WEAR GLOVES. PICK UP BROKEN BATTERIES AND TRANSFER TO A CONTAINER FOR LATER DISPOSAL. DO NOT GENERATE DUST.

=====
Handling
and Storage =====

Handling and Storage Precautions:STORAGE- DO NOT SHORT CIRCUIT BATTERY. THIS MAY CAUSE RUPTURE OR LEAKAGE. DO NOT ATTEMPT TO RECHARGE. CHARGING MAY CAUSE RUPTURE OR LEAKAGE.

Other Precautions:FOR BROKEN BATTERY: AVOID BREATHING DUSTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF SMALL CHILDREN.

=====
Exposure

Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

MFR IS OUT OF BUSINESS AND IS UNLISTED. INFORMATION PRESENTED HEREIN IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE AND BELIEF BUT IS NOT GUARANTEED TO BE SO. IT IS THE USER'S RESPONSIBILITY TO TAKE ALL SAFETY PRECAUTIONS AS MAY BE NECESSARY. WE HEREBY DISCLAIM ALL LIABILITY WITH RESPECT TO IT'S USE.

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:DRY BATTERY, 7.5 VOLTS, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN

Stability Condition to Avoid:F
IRE, HEAT

Hazardous Decomposition Products:MAY EMIT TOXIC FUMES MERCURY, AMMONIA, OXIDES OF CARBON AND ZINC.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.