

STEVEN INDUSTRIES -- FILLER, WOOD, PLASTIC #X-552 -- 8010-00-262-9172

=====
Product Identification
=====

Product ID:FILLER, WOOD, PLASTIC #X-552

MSDS Date:03/19/1991

FSC:8010

NIIN:00-262-9172

MSDS Number: CCJSF

=== Responsible Party ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Info Phone Num:201-437-6501

Emergency Phone Num:800-253-3

436

CAGE:33150

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 6-8%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:4000 PPM

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 19-22%

Other

REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 25-35%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:VOC = 685 G/L

RTECS #:9999999VO

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: SEVERE IRRIT. IF NOT REMOVED

IMMED INJURES EYE TISSUE RESULTING IN PERMANENT DAMAGE. SKIN:

IRRIT/DERMATITIS W/CHRONIC CONTACT. LOW ORDER TOXICITY. INHAL: HIGH

VAPOR CONCENTRATIONS IRRIT EYES/RESP TRACT. MAY CAUSE

HEADACHES/DIZZINESS/ANESTHETIC/OTHER CNS EFFECTS. LOW ORDER

T

OXICITY. INGEST: LOW ORDER TOXICITY.*

Effects of Overexposure:*SMALL AMTS LIQUID ASPIRATED INTO LUNGS DURING

INGESTION/VOMITING MAY CAUSE BRONCHEAL PNEUMONIA/PULMINARY EDEMA.

Medical Cond Aggravated by Exposure:REPEATED SKIN CONTACT MAY CAUSE

CHAPPING.

===== First Aid Measures =====

First Aid:IN ALL CASES CALL DR FOR MED AID. EYE: IMMED FLUSH W/LARGE

AMTS WATER >15 MIN. SKIN: IMMED WASH W/LARGE AMTS WATER. USE SOAP

IF AVAIL. INHAL: IMMED MO

VE TO FRESH AIR. GIVE ARTIF RESP IF
BREATHING STOP PED. KEEP AT REST. INGEST: DON'T INDUCEVOMITING.
KEEP AT REST.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:-4F,-20C
Lower Limits:2.6
Upper Limits:12.8
Extinguishing Media:EXTINGUISH W/ALCOHOL FOAM, CARBON DIOXIDE FOAM.
Fire Fighting Procedures:AVOID UNNECESSARY EXPOSURE TO HEAT.
Unusual Fire/Explosion Hazard:AVOID UNNECESSARY EXPOSURE TO HEAT.

===== Accidental R
elease Measures =====

Spill Release Procedures:LG: REMOVE IGNIT SOURCES.PREVENT DISHCHARGE IF
SAFE.IMPLEMENT CLEAN-UP.IF IN PUBLIC KEEP PUBLIC AWAY/CALL
AUTHORITIES.ALSO IF EPA HAZ SUBSTANCE CALL EPA IF APPROP.VAPOR/DUST
CAN BE HARMFUL/FATAL.STAY UPWIND.PREVENT LIQ FROM ENTERING
RIVERS**

===== Handling and Storage =====

Handling and Storage Precautions:KEEP LIQ/VAPOR AWAY FROM
HEAT/SPARKS/FLAME/HOT SURFACES. EXTINGUISH IGNI
T SOURCES PRIOR TO
USE/UNTIL ALL VAPORS ARE GONE.
Other Precautions:VAPORS MAY ACCUMULATE/TRAVEL TO DISTANT IGNIT
SOURCE/FLASH BACK.KEEP CNTNRS CLOSED WHEN NOT IN USE.EMPTY CNTNRS
CAN CONTAIN EXPLOSIVE VAPORS.DON'T CUT/DRILL/GRIND/WELD ON/NEAR
CNTNR.STATIC ELECTRICITY MAY ACCUMULATE/CREATE FIRE HAZ.***

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE
LIMITS, USE NIOSH APPROVED RESPIRATOR AS
REQUIRED TO PREVENT
OVEREXPOSURE ACCORDING TO 29 CFR 1910.136. USE EITHER
ATMOSPHERE-SUPPLYING RESPIRATOR OR AIR-PURI FYING RESPIRATOR FOR
ORGANIC VAPORS.
Ventilation:EXPLOSION PROOF VENTILATION TO CONTROL VAPOR CONCENTRATIONS
WITHIN PEL/TLV LIMITS.
Protective Gloves:CHEMICAL RESISTANT
Eye Protection:SAFETY GLASSES OR GOGGLES.
Work Hygienic Practices:MINIMIZE CONTACT WASH W/SOAP & WATER BEFORE
EATING/DRINKING/SMOKING/USING TOILET FACILITIES. NO SMOKING WHERE
STORED.
Supp

lemental Safety and Health

**WATER COURSE/LOW AREA.CONTAIN W/SAND/EARTH. DON'T USE COMBUSTIBLES
(SAWDUST). AMALL: SAME AS W/LARGE SPILLS. ***GROUND FIXED
EQUIPMENT.BOND/TRANSFER CONTAINERS GROUND/EQUIPMENT.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:175F,79C

Melt/Freeze Pt:M.P/F.P Text: