

PLASTERDENT, INC. -- DR. FINK'S TOOTH POWDER -- 8520-01-303-6439

=====  
Product Identification  
=====

Product ID:DR. FINK'S TOOTH POWDER

MSDS Date:10/31/1994

FSC:8520

NIIN:01-303-6439

MSDS Number: CCKHG

=== Responsible Party ===

Company Name:PLASTERDENT, INC.

Address:2881 MIDDLETON RD.

City:BRONX

State:NY

ZIP:10461

Country:US

Info Phone Num:718-792-3554

Emergency Phone Num:718-543-4385

Preparer's Na

me:DR. JOSEPH J. FINK

CAGE:NO396

=== Contractor Identification ===

Company Name:PLASTERDENT, INC.

Address:2881 MIDDLETON RD.

Box:City:BRONX

State:NY

ZIP:10461

Country:US

Phone:718-792-3554

CAGE:NO396

Company Name:PLASTODENT INC.

Address:2881 MIDDLETON ROAD

Box:City:BRONX

State:NY

ZIP:10461-3306

Country:US

Phone:212-792-3554

CAGE:8P273

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NONE PER 29 CFR 1910.1200.

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SNEEZING, COUGHING, SKIN IRRIT,  
WATERING OF EYES, NO KNOWN CHROME EFFECTS.  
Medical Cond Aggravated by Exposure:NONE REPORTED.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH W/WATER FOR 15 MIN. IF IRRIT PERSISTS CALL  
DOCTOR. SKIN: WA  
SH W/SOAP & WATER. INHALATION: GET FRESH AIR.  
INGESTION: IF CONSCIOUS GIVE LARGE QTY OF WATER TO INDUCE VOMITING.  
CALL DOCTOR.

=====  
Fire Fighting Measures  
=====

Flash Point:NONCONBUSTIBLE.  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:AS APPROPRIATE FOR SURROUNDING COMBUSTIBLES.  
Fire Fighting Procedures:AVOID SKIN CONTACT & GENERATION OF DUSTS.  
Unusual Fire/Explosion Hazard:IGNITS ON CONTACT WITH FLUORINE.

=====  
Accidental Release  
Measures  
=====

Spill Release Procedures:THOSE INVOLVED IN CLEANUP OF SPILLS SHOULD USE  
RESPIRATORY PROT FOR AIRBORNE DUST. VACUUM OR SCOOP UP MATLS FOR  
RECOVERY OR DISPOSAL AVOIDING DUSTY CONDTNS AND USING GOOD VENT.  
WETTING SPILL W/WATER S PRAY MAY KEEP AIRBORNE DUST LEVELS DOWN.  
Neutralizing Agent:NA

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE SEGREGATION. AVOID PHYSICAL  
DAMAGE TO CONTAINERS. STO  
RE IN COOL, DRY WELL VENTILATED AREA AWAY  
FROM ACIDS.  
Other Precautions:PROVISIONS OF ADEQUATE VENTILATION WHERE NECESSARY.  
WHERE DUST CANT BE CONTROLLED IN THIS WAY PERSONAL RESPIRATORY  
PROTECTION SHOULD BE EMPLOYED.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:DUST MASKS.  
Ventilation:ADEQUATE EXHAUST VENTILATION.  
Protective Gloves:LEATHER OR RUBBER.  
Eye Protection:SAFETY GLASSES OR DUST TIGHT GOGGLES.  
Other Protective Equipment:NO SPE

CIAL REQUIREMENTS.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:228F,109C

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:2.45

pH:NA

Evaporation Rate & Reference:NA

Solubility in Water:SLIGHT.

Appearance and Odor:WHITE POWDER MINT FLAVOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS AND

FLUORINE.

Stability Condition to Avoid:EXCESS DUST GENERATION AND TEMPS >228F

Hazardous Decomposition Products:YIELDS ABOUT .5% PER HOUR OF SODIUM  
CARBONATE WHEN >120F.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE &  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United

States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.