View NSN Online: https://aerobasegroup.ae/nsn/6850-01-424-8166

TULSTAR PRODUCTS INC -- BOROTHENE NON-CFC PRECISION VAPOR DEGREASING

MSDS Safety Information

FSC: 6850

NIIN: 01-424-8166 MSDS Date: 06/06/1996 MSDS Num: CCKVY

Product ID: BOROTHENE NON-CFC PRECISION VAPOR DEGREASING SOLVENT

MFN: 01

Responsible Party Cage: 0F2M5

Name: TULSTAR PRODUCTS INC

Address: 1722 S CARSON,

SUITE 2907

City: TULSA OK 74119

Info Phone Number: 918-587-7878/FAX -3297 (DAVID COOK)

Emergency Phone Number: 918-587-7878/FAX -3297 (DAVID COOK)

Preparer's Name: UNKNOWN

Proprietary Ind: Y Review Ind: Y Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 0F2M5

Name: TULSTAR PRODUCTS INC Address: 1722 S CARSON, SUITE 2907

City: TULSA OK 74119

Contractor Summary

Cage: 0F2M5

Name: TULSTAR PRODUCTS INC Address: 1722 S CARSON, SUITE 2907

City: TULSA OK 74119

Phone: 918-587-7878/FAX -3297 (DAVID COOK)

Item Description Information

Item Manager: S9G

Item Name: CLEANING COMPOUND, SOLVENT

Specification Number: UNKNOWN

Unit of Issue: CN

Quantit

ative Expression: 0000000005GL

UI Container Qty: 1
Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: NO Ingestion: Y

ES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: ACUTE: INHALATION MAY CAUSE RESPIRATORY IRRITATION; CNS EFFECTS. CONTACT MAY CAUSE SKIN & EFFECTS SIMILAR TO INHALATION. CHRONIC: PR OLONGED/REPEATED EXPOSURE MAY CAUSE SKIN SKIN IRRITATION, DERMATITIS.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs

And Symptions Of Overexposure: INHALED-RESPIRATORY TRACT IRRITATION, HEADACHE, DIZZINESS, NAUSEA, VOMITING, NARCOSIS. SKIN-IRRITATION, DERMATITIS. EYES-IRRITATION, PAIN. INGESTED-IRRITATION OF GI TRACT & MOUTH, ABDOMINAL PAIN, VOMI TING, DIZZINESS, HEADACHE, NAUSEA, NARCOSIS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP &a mp; WATER.

INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RE SPIRATION AS NEEDED. INGESTED-IF CONSCIOUS, DRINK LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING! SEEK IMMEDIATE MEDICAL ATTENTION.

Handling and Disposal

Spill Release Procedures: EVACUATE THE AREA. WEAR SCBA AND APPROPRIATE PERSONAL PROTECTIVE GEAR. STOP LEAK IF SAFE & DEASIBLE. CONTAIN SPILL. ABSO

WITH INERT MATERIAL. PREVENT ENTRY INTO SEWERS & STREAMS. PICK ABSORBED MATE RIAL & PLACE IN CONTAINER. VENTILATE AREA.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS. DO NOT FLUSH TO SANITARY SEWER OR WATERWAY. REFER TO RCRA REGULATIONS 40 CFR 260-281 FOR WASTE DISPOSAL INSTRUCTIONS.

Handling And Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. PR

OTECT FROM EXTREME HEAT. ISOLATE FROM INCOMPATIBLE MATERIALS. DO NOT STORE NEAR FOOD.

Other Precautions: WHEN WORKING SITUATIONS WHERE A HIGH LEVEL OF VAPOR CONCENTRATION IS LIKELY, USE SELF-CONTAINED BREATHING APPARATUS. KEEP THIS CHEMICAL OUT OF REACH OF CHILDREN. MINIMIZE BODY CONTACT WITH THIS PRODUC T. AVOID INHALAING FUMES OR VAPORS.

Fire and Explosion Hazard Information

Flash Point Text: NON-FLAMMABLE

Lower Limits: NONE Upper Limits: NONE

Extinguishing Media: NON-FLAMMABLE; USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: PRODUCT WILL DECOMPOSE AT TEMPERATURES ABOVE 400F; RELEASING TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN HALIDE AND PHOSGENE.

Control Me

asures

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: IMPERVIOUS: NITRILE. DO NOT USE RUBBER!

Eye Protection: CHEMICAL GOGGLES OR FACESHIELD.

Other Protective Equipment:

CLEAN, BODY-COVERING CLOTHING; APRON & BOOTS (NOT MADE OF RUBBER). DLA-: EYE WASH STATION & SAFETY SHOWER. Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health: DO NOT WEAR CONTACT LENSES WHEN HANDLING THIS MATERIAL. -----Physical/Chemical Properties ______ HCC: T6 B.P. Text: 15 4F,68C M.P/F.P Text: -87F,-66C Decomp Text: >400F,>204C Vapor Pres: 70 Vapor Density: UNKNOWN Spec Gravity: 1.90 Viscosity: UNKNOWN Evaporation Rate & Discrete Reference: UNKNOWN Solubility in Water: NEGLIGIBLE Appearance and Odor: CLEAR, COLORLESS LIQUID; SWEET ODOR. Corrosion Rate: UNKNOWN _____ Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: AVOID TEMPERATURES ABO VE 400F. Materials To Avoid: STRONG OXIDIZING AGENTS, ACIDS. MAY ATTACK SOME KINDS OF PLASTICS, RUBBER & COATINGS. Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN HALIDE AND PHOSGENE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. _____ Toxicological Information ______ **Ecological Information** ______ **MSDS** Transport Information ______ ______ Regulatory Information _____ ______ Other Information

Transportation Information

Responsible Party Cage: 0F2M5

Trans ID NO: 136103

Product ID: BOROTHENE NON-CFC PRECISION VAPOR DEGREASING SOLVENT

MSDS Prepared Date: 06/06/1996

Review Date: 01/27/1998

MFN: 1

Tech Entry NOS Shipping Nm: HALOGENATED HYDROCARBON

Net Unit Weight: 79.2 LBS Multiple KIT Number: 0

Review IND: Y Unit Of Issue: CN Container QTY: 1

Type Of Container: CAN Additional Data: DLA-

STAFF UNABLE TO GIVE SPECIFIC CHEMICAL NAMES FOR NOS

DESIGNATION-MFR CLAIMS IDENTITY AS TRA DE SECRET INFORMATION. XXX/IATA: IATA DOES NOT HAVE A PG III PSN FOR HALOGENATED LIQUIDS AS OTHER MODES DO. BEST

GUESS IS: TOXIC LIQUID, NOS CL 6.1 UN2810.

Detail DOT Information

DOT PSN Code: QKO

Symbols: G

DOT Proper Shipping Name: TOXIC LIQUIDS, ORGANIC, N.O.S.

Hazard Class: 6.1

UN ID

Num: UN2810

DOT Packaging Group: III

Label: KEEP AWAY FROM FOOD

Special Provision: T7
Packaging Exception: 153

Non Bulk Pack: 203 Bulk Pack: 241 Max Qty Pass: 60 L Max Qty Cargo: 220 L Vessel Stow Req: A Water/Ship/Other Req: 40

Detail IMO Information

IMO PSN Code: HWH

IMO Proper Shipping Name: HALOGENATED IRRITATING LIQUID, N.O.S. y

IMDG Page Number: 6157

UN Number: 1610 UN Hazard C lass: 6.1

IMO Packaging Group: II/III Subsidiary Risk Label: -EMS Number: 6.1-02

MED First Aid Guide NUM: 740

Detail IATA Information

IATA PSN Code: XXX

Detail AFI Information

AFI PSN Code: NBL AFI Symbols: *

AFI Proper Shipping Name: HALOGENATED IRRITATING LIQUID, N.O.S.

AFI Hazard Class: 6.1
AFI UN ID NUM: UN1610
AFI Packing Group: III
Special Provisions: P5

Back Pack Reference: A10.5

HAZCOM Label

Product ID: BOROTHENE NON-CFC PRECISION VAPOR DEGREASING SOLVENT

Cage: 0F2M5

Company Name: TULSTAR PRODUCTS INC

Street: 1722 S CARSON, SUITE 2907

City: TULSA OK Zipcode: 74119

Health Emergency Phone: 918-587-7878/FAX -3297 (DAVID COOK)

Label Required IND: Y

Date Of Label Review: 12/24/1996

Status Code: C

Label Date: 12/24/1996
Year Procured: 1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING

Respiratory Protection IND: YES

Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None

Hazard And Precautions: INHALATION MAY CAUSE RESPIRATORY IRRITATION; CNS

EFFECTS. CONTACT MAY CAUSE SKIN & EYE IRRITATION. INGESTION MAY CAUSE

IRRITATION OF MOUTH & amp; GI TRACT; EFFECTS SI

MILAR TO INHALATION.

PROLONGED/REPEATED EXPOSURE MAY CAUSE SKIN SKIN IRRITATION, DERMATITIS. TARGET ORGANS: CNS, SKIN, LUNGS. FIRST AID: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLO THES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-IF CONSCIOUS, DRINK LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING! SEEK IMMEDIATE MEDICAL ATTENTION.

=======

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.