

VARICHEC CORP DBA CLAYTON CHEMICAL CO. -- 414-16A LITHMATIC DEVELOPER &
REPLENISHER PART A -- 6750-01-385-4429

===== Product Identification =====

Product ID:414-16A LITHMATIC DEVELOPER & REPLENISHER PART A

MSDS Date:09/27/1991

FSC:6750

NIIN:01-385-4429

MSDS Number: CCMCT

=== Responsible Party ===

Company Name:VARICHEC CORP DBA CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

City:LOS ANGELE

S

State:CA

ZIP:90061

Country:US

Info Phone Num:310-538-9530

Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC)

CAGE:KO056

=== Contractor Identification ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name:VARICHEC CORP DBA CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

Box:276-Z

City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Phone:310-538-9530

CAGE:K

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM FORMALDEHYDE BISULFITE
CAS:870-72-4
RTECS #:PB2200000
Fraction by Wt: 20-25%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHYLENE GLYCOL
CAS:112-27-6
RTECS #:YE4550000
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA)
CAS:123-31-9
RTECS #:MX3500000
Fraction by Wt: 5-8%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 95
96
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT. SKIN:MAY CAUSE
IRRIT,MAY CAUSE ALLERGIC SKIN REACTION. IHAL:NORMALLY NO PROBLEM
BUT INHAL OF MIST COULD CAUSE RESP IRRIT.INGEST:MAY CAUSE IRRIT OF
MUCOUS MEMBRANES OR
DIGESTIVE TR ACT. HYDROQUINONE:REP CONTACT CAN
CAUSES KIN SENS/ALLERGIC DERM.CHRONIC CAN CAUSE
ANEMIA/DISCOLORATION,CORNEAL OPACITY.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
LISTING:NTP/IARC/OSHA:NO.
Effects of Overexposure:EYE IRRIT, SKIN IRRIT, ALLERGIC SKIN REACTION.
RESP IRRIT, MUCOUS MEMBRANE/DIGESTIVE TRACT IRRIT. SKIN
SENS/ALLERGIC DERM. ANEMIA, DISCOLORATION, CORNEAL OPACITY.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====

===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR @LEAST 15MINS.OBTAIN MED ATTN. SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FRO 15MINS.REMOVE CONTAMIN CLOTH.INCASE OF CONT IRRIT CONSULT PHYSICIAN. INHAL:F OR OEVEREXPO REMOVE TO FRESH AIR. INGEST:INDUCE VOMIT.OBTAIN IMMED MED ATTN.

===== Fire Fighting Measures =====

Flash Point:NOT FLAMMABLE
Autoignition Temp:Autoignition Temp Tex
t:NP
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA.
Fire Fighting Procedures:EVACUATE PERSONNEL TO SAFE AREA.KEEP PERSONNEL REMOVED & UPWIND OF FIRE.WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPO EMISION OF TOXIC FUMES OF SO2 IS POSSIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:USE APPROPRIATE PPE DURING CLEANUP.DIK
E.PREVENT FROM ENTERING SEWERS/WATERWAYS/LOW AREAS.SOAK UP W/SAND,OIL DRY,OTHER ABSORBENT MATLS.SPILL MAY BE NEUTRALIZED WITH POWDERED CITRIC ACID.
Neutralizing Agent:POWDERED CITRIC ACID.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTI AREA.KEEP CNTNR TIGHTLY CLSD.DO NOT STORE W/INCOMPATIBLE MATLS.DO NOT STORE/CONSUME FOOD/DRINK/TOBACCO IN AREA WHERE MAY BE CONTAN
Other Precautions:SARA TITLE III REPORTIN
G REQMTS CHEM: HYDROQUINONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUFFICIENT ROOM VENTILATION.
Ventilation:SUFFICIENT ROOM VENTILATION.
Protective Gloves:GLOVES.
Eye Protection:SPLASH PROT, EYGLASSES W/SIDE SHIELDS.
Other Protective Equipment:APRONS.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>212F,

>100C
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NP
Vapor Pres:WATER
Vapor Density:WATER
Spec Gravity:1.243
pH:7.20
Viscosity:NP
Evaporation Rate & Reference:SAME AS WATER
Solubility in Water:100%, COMPLETE.
Appearance and Odor:CLEAR AND COLORLESS TO PALE VIOLET, NO ODOR.
Percent Volatiles by Volume:WATER
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, OXIDIZERS.
Stability Condition t
o Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:SULFUR DIOXIDE, CO2.

===== Disposal Considerations =====

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ/CONTAMIN WATER.DISPO
IN APPROVED/PERMITTED TREATMENT SYS.REMOVE NONUSABLE SOLID
MATL/CONTAMIN SOIL FOR DISPO APPROVED/PERMITTED LANDFILL.DISCHARGE
TO SEWER REQUIRES APPORVAL OF PERMITTING AUTHORITY/MAY REQUIRE
PRETREATMENT.

Disclaimer (provided with this information b
y the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.