

MIRACLE POWER PRODUCTS -- K-5200-K MIRACLE POWER DGF 123 (CFC-FREE) --  
9150-01-170-1567

=====  
===== Product Identification =====

Product ID:K-5200-K MIRACLE POWER DGF 123 (CFC-FREE)

MSDS Date:05/23/1995

FSC:9150

NIIN:01-170-1567

MSDS Number: CCMSV

=== Responsible Party ===

Company Name:MIRACLE POWER PRODUCTS

Address:1101 BELT LINE STREET

City:CLEVELAND

State:OH

ZIP:44109

Country:US

Info Phone Num:216-7

41-1388

Emergency Phone Num:216-741-1388

Preparer's Name:S. VANDIVORT

CAGE:16837

=== Contractor Identification ===

Company Name:MIRACLE POWER PRODUCTS CORP

Address:1101 BELT LINE ST

Box:City:CLEVELAND

State:OH

ZIP:44109

Country:US

Phone:216-741-1388

CAGE:16837

=====  
===== Composition/Information on Ingredients =====

Ingred Name:LIQUIFIED PETROLEUM GAS (PROPANE/ISOBUTANE), SEE INGREDIENTS  
#2,3.

Fraction by Wt: 35-45%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000  
Fraction by Wt: SEE #1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:ASPHYXIAN; 9596

Ingred Name:ISOBUTANE  
CAS:75-28-5  
RTECS #:TZ4300000  
Fraction by Wt: SEE #1%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETONE (SARA 313) (CERCLA)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 40-50%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:750PPM/1000STEL;9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:N-BUTYL ALCOHOL (SARA 313) (CERCLA)

CAS:71-36-3  
RTECS #:EO1400000  
Fraction by Wt: 130F EITHER  
FULL/EMPTY CNTNRS.DO NOT REMOVE/DEFACE LABEL.  
Other Precautions:PLEASE READ/FOLLOW DIRECTIONS ON PRODUCT LABEL OR ANY  
ACCOMPANING LITERATURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERALLY NOT REQUIRED IF SUFFICIENT VENTILATION  
IS PROVIDED.IF TLV OF PRODUCT OR ANY OF ITS COMPONENTS EXCEEDED &  
APPROVED ORGANIC VAPOR MASK SHOULD BE USED.

Ventilation:LOC EXHAUST/MECHANI  
CAL (GENERAL)/SPECIAL/OTHER:TO MAINTAIN

1

Spec Gravity:95  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS, STRONG CAUSTICS, STRONG MINERAL ACIDS.  
Stability Condition to Avoid:AVOID HEAT SUFFICIENT TO BURST CAN AND  
SPRAYING INTO FLAME OR ONTO RED HOT SURFACES WHICH MAY CAUSE  
DECOMPOSITION.

Hazardous Decomposition Products:NO DETERMINED, HOWEVER WE WOULD EXPECT  
CO<sub>2</sub>, CO, VARIOUS INCOM

PLETELY BURNED PRODUCTS, POSSIBLY OTHER TOXIC PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT FED/STATE/LOC REGS.DO NOT PUNCTURE/INCINERATE CNTNRS.GIVE EMPTY/LEAK/FULL CNTNRS TO DISPO SERVICE EQUIPPED TO SAFELY HANDLE/DISPO OF PRESSURIZED CNTNRS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.