View NSN Online: https://aerobasegroup.ae/nsn/4210-01-387-5658 FUEL BUSTER LABORATORIES INC -- FUEL BUSTER -- 4210-01-387-5658 Product ID:FUEL BUSTER MSDS Date:06/10/1996 FSC:4210 NIIN:01-387-5658 MSDS Number: CCMXL === Responsible Party === Company Name: FUEL BUSTER LABORATORIES INC Address:150 WALTER WAY City:FAYETTEVILLE State:GA ZIP:30214 Country:US Info Phone Num:770-719-5112 Emergency Phone Num:770-719-5112 CAGE:0YP92 == Contractor Identification === Company Name: HAZARD CONTROL TECHNOLOGIES, INC Address:150 WALTER WAY Box:City:FAYETTEVILLE State:GA ZIP:30214 Country:US Phone:770-719-5112 CAGE:0YP92

======= Composition/Information on Ingredients =======

Ingred Name: NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ==============

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity

:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION MAY CAUSE GASTRONITESTINAL IRRITATION/DIARRHEA. CONTACT WITH EYES MAY CAUSE EXESIIVE WATERING, REDNESS AND BURNING. PROLONGED CONTACT WITH SKIN MAY CAUSE MINOR IRRITATION AND DRYING OF SKIN.

Explanation of Carcinogenicity: NOT CARCINOGENIC.

Effects of Overexposure:SAME AS ABOVE. IF SKIN IRRITATION PERSISTS SEEK MEDICAL ATTENTION. IF PRODUCT IS INGESTED SEEK MEDICAL ATTENTION, IF NECESSARY.

Medical Cond Aggra vated by Exposure:NONE KNOWN.

First Aid:FLUSH EYES WITH LARGE AMOUNTS OF WATER, IF IRRITATION AND BURNING PERSISTS CONSULT PHYSICIAN.

========== Fire Fighting Measures ===============

Fire Fighting Procedures: FUEL BUSTER IS AN EXTINGUISHING PRODUCT. APPLICATION AT 3 AND 6% MIXTURE. NO HAZARD BY PRODUCT IS KNOWN. Unusual Fire/Explosion Hazard: NONE.

============ Accidental Release Measures

Spill Release Procedures:FLUSH WITH WATER, DISCARDED PRODUCT IS NOT A HAZARDOUS WASTE UNDER RCRA, 40 CFR 261. TREAT FUEL SPILLS WITH THIS PRODUCT THAT ARE LARGE, CONTACT EPA.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: NORMAL HYGIENE AND GOOD HOUSEKEEPING. SLIPPERY CONDITIONS EXIST FROM SPILLED CONCENTRATE. FLUSH WITH WATER UNTIL AREA IS NON-SLIPPERY.

Other Precautions:FOLLOW PROCEDURES SPECIFIED IN THE NATIONAL FIRE PROTECTION ASSOCIATION CODES AND STANDARDS. THIS PRODUCT DOES NOT CONTAIN MATERIALS GENERATED UNDER SARA TITLE III, SECTION 313.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation:LOCAL EXHAUST-NO SPECIAL REQUIREMENTS.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: CHEMICALLY TIGHT GOGGLES. Other Protective Equipment: IMPERVIOUS APRO

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health FIRE SUPPRESSANT.
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.0 Solubility in Water:100% SOLUBLE Appearance and Odor:CRANBERRY RED.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOID CO NTACT WITH STRONG OXIDIZING AGENTS. Stability Condition to Avoid:VERY STABLE.
======= Disposal Considerations ==========
Waste Disposal Methods:COPIOUS WATER.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its us

e. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their

particular situation.

N. EYE WASH STATION IN WORK

AREA, FULL FACESHIELD IN ADDITION IF SPALSHING.