

VENUS LABORATORIES INC -- MIL-C-10578D TYPE II -- 6850-00-174-9672

=====  
Product Identification  
=====

Product ID:MIL-C-10578D TYPE II

MSDS Date:02/15/1991

FSC:6850

NIIN:00-174-9672

MSDS Number: CCSSG

=== Responsible Party ===

Company Name:VENUS LABORATORIES INC

Address:15571 COMMERCE LN

City:HUNTINGTON BEACH

State:CA

ZIP:92649

Country:US

Info Phone Num:800-841-3100

Emergency Phone Num:800-841-3100

CAGE:0N140

=== Contractor Identification ===

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

CAGE:70842

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

Company Name:VENUS LABORATORIES INC

Address:15571 COMMERCE LANE

Box:City:HUNTINGTON BEACH

State:CA

ZIP:92649

Country:US

Phone:714-881-3100

CAGE:0N140

=====

== Composition/Information on Ingredients =====

Ingred Name:PHOSPHORIC ACID (SARA 313) (CERCLA)  
CAS:7664-38-2  
RTECS #:TB6300000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3/3 STEL; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTOXYETHANOL  
CAS:111-76-2  
RTECS #:KJ8575000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9596

===== Hazards Identification =====

Routes of Entry: Inhalation  
:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EYE AND SKIN IRRITATION.  
CHRONIC: NONE KNOWN.  
Effects of Overexposure:IRRITANT, SLIGHTLY TOXIC WHEN INHALED OR  
INGESTED. CAUSES BURNS TO EXPOSED TISSUES.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES  
AND GET PROMPT MEDICAL  
ATTENTION. SKIN-FLUSH WITH PLENTY OF WATER.  
GET MEDICAL ATTENTION. INGESTED-GET MEDICAL ATTENTION.  
INHALATION-REMOVE T O FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZE WITH SODA

ASH AND LIME AND FLUSH  
WITH WATER.  
Neutralizing Agent:SODA ASH OR LIME.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN OR  
CLOTHING. STORE IN COOL, DRY AREA. AVOID FREEZING TEMPERATURES AND  
HIGH TEMPERATURES.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF WORKPLACE EXPOSURE LIMIT OF PRODUCT OR ANY  
C  
OMPONENT IS EXCEEDED A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR  
IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.  
Ventilation:LOCAL EXHAUST: ONLY IF GENERAL IS INADEQUATE. MECHANICAL  
(GENERAL): NORMAL VENTILATION.  
Protective Gloves:RUBBER OR NEOPRENE.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:RUBBER SAFETY SHOES. EYE WASH STATION.  
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE. WASH HANDS  
BEFORE EATING, AVOID INHALATION OR INGESTION.  
Supplemental Safety  
and Health  
NONE

=====  
Physical/Chemical Properties  
=====

HCC:C1  
Boiling Pt:B.P. Text:212F,100C  
Vapor Pres:N/D  
Vapor Density:N/D  
Spec Gravity:1.105  
Evaporation Rate & Reference:N/D  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR AND ODORLESS LIQUID.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
STRONG ALKALIES, ALKALI METALS.  
Stability Condition to Avoid:KEEP AWAY FROM EXTREMES IN TEMPERAT

URES.

Hazardous Decomposition Products:MAY FORM TOXIC MATERIALS, PHOSPHOROUS COMPOUNDS ETC.

===== Disposal Considerations =====

Waste Disposal Methods:ANY METHOD FOR THE DISPOSAL OF CHEMICAL WASTE SUBJECT TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.