

WESTCO CHEMICALS INC -- BUTTER OF ZINC -- 6810-00-247-0610

=====
Product Identification
=====

Product ID: BUTTER OF ZINC

MSDS Date: 11/18/1992

FSC: 6810

NIIN: 00-247-0610

MSDS Number: CCSSH

=== Responsible Party ===

Company Name: WESTCO CHEMICALS INC

Address: 11312 HARTLAND ST

City: NORTH HOLLYWOOD

State: CA

ZIP: 91605-6309

Country: US

Info Phone Num: 818-980-1152/213-877-0077

Emergency Phone Num: 818-980-115

2/800-424-9300(CHEMTREC)

CAGE: 4E616

=== Contractor Identification ===

Company Name: WESTCO CHEMICALS INC

Address: 11312 HARTLAND ST

Box: City: NORTH HOLLYWOOD

State: CA

ZIP: 91605-6309

Country: US

Phone: 818-980-1152/800-424-9300(CHEMTREC)

CAGE: 4E616

=====
Composition/Information on Ingredients
=====

Ingred Name: ZINC CHLORIDE (SARA 313) (CERCLA)

CAS: 7646-85-7

RTECS #: ZH1400000

Fraction by Wt: 98%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 1 MG/M3

ACGIH TLV: 1MG/M3/2STEL(FUME)96

EPA Rp

t Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION-WILL IRRITATE MUCOUS
MEMBRANES AND RESPIRATORY TRACT. SKIN-WILL CAUSE BURNS. EYE-WILL
BURN EYES/SEVERE IRRITATION MAY OCCUR. INGESTION-WILL IRRITATE
MUCOUS MEMBRANES AND DIGESTIVE TR ACT. CHRONIC: NOT KNOWN.

Explanation
of Carcinogenicity:NOT A SUSPECT CANCER AGENT.
Effects of Overexposure:CORROSIVE SOLUTION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INHALATION-REMOVE TO FRESH AIR. SKIN-WASH WITH SOAP AND
WATER. EYE-FLUSH WITH WATER FOR 15 MINUTES. INGESTION-GIVE LARGE
QUANTITY OF MILK OR WATER. ANTIDOTE: ANTACID. RECOMMENDATIONS TO
DOCTOR: TREAT SYMPTOMATICALLY AND TOPICALLY FOR ACID BURN.

=
=====
Fire Fighting Measures
=====

Flash Point:WILL NOT BURN
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NONE SPECIFIED BY MANUFACTURER.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND USE A NIOSH
RESPIRATOR.
Unusual Fire/Explosion Hazard:MAY RELEASE TOXIC FUMES AND HOT GASES
DURING A FIRE WHICH ARE TOXIC.

=====
Accidental Release Measures
=====

Spill Release Procedur
es:SWEEP UP AND CONTAINERIZE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:DANGER-CORROSIVE IN SOLUTION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:DUST MASK.
Ventilation:LOCAL EXHAUST.
Protective Gloves:RUBBER.
Eye Protection:SAFETY GOGGLES.
Other Protective Equipment:RUBBER APRON.
Work Hy

gienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

HAZARD CLASS 8.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:1350F,732C

Melt/Freeze Pt:M.P/F.P Text:554F,290C

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:2.905

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in Water:SOLUBLE.

Appearance and Odor:WHITE GRANULAR POWDER.

Percent Volatiles by Volume:NA

Corrosion Rate:NA

==

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CYANIDES AND SULFIDE SALT.

Stability Condition to Avoid:HIGH TEMPERATURES AND HUMIDITY.

Hazardous Decomposition Products:HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:BURY IN APPROVED LANDFILL. NOTE: DISPOSE OF ALL WASTE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.