

CONOCO INC -- CONOSTAN S-12 BLENDED STANDARDS -- 6650-00-179-5145

=====
Product Identification
=====

Product ID:CONOSTAN S-12 BLENDED STANDARDS

MSDS Date:06/01/1994

FSC:6650

NIIN:00-179-5145

MSDS Number: CCVRB

=== Responsible Party ===

Company Name:CONOCO INC

Box:2197

City:HOUSTON

State:TX

ZIP:77252

Country:US

Info Phone Num:405-767-3078

Emergency Phone Num:800-424-9300/405-767-3078

CAGE:15445

==

= Contractor Identification ===

Company Name:CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State:TX

ZIP:77210-4784

Country:US

Phone:800-441-3637/800-424-9300(CHEMTREC)

CAGE:15445

Company Name:NAVAL AIR REWORK FACILITY (CODE 440)

CAGE:89771

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFONATES BLENDED ALKYLARYL

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILVER (SARA 313) (CERCLA)

CAS:7440-22-4

RTECS #:VW3500000

Fraction by Wt:

< .1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.01 MG/M3
ACGIH TLV:0.1 MG/M3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ALUMINUM (SARA 313)
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: < .01%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 DUST
ACGIH TLV:10 MG/M3 DUST; 9596

Ingred Name:CHROMIUM (SARA 313) (CERCLA)
CAS:7440-47-3
RTECS #:GB4200000
Fraction by Wt: < .1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:0.5 MG/M3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 L
B

Ingred Name:CALCIUM OXIDE
CAS:1305-78-8
RTECS #:EW3100000
Fraction by Wt: .2-.55%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:2 MG/M3; 9596

Ingred Name:IRON OXIDE
CAS:1309-37-1
RTECS #:NO7400000
Fraction by Wt: < .1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3 (FE)
ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:COPPER (SARA 313) (CERCLA)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: < .01%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1MG/M3 FUME/1 DUST
ACGIH TLV:0.2 M

G/M3 FUME; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM (CERCLA)
CAS:7440-23-5
RTECS #:VY0686000
Fraction by Wt: < .1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM OXIDE
CAS:1309-48-4
RTECS #:OM3850000
Fraction by Wt: < .01%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 PARTICULATE
ACGIH TLV:10 MG/M3; FUME; 9596

Ingred Name:SILICON
CAS:7440-21-3
RTECS #:VW0400000
Fraction by Wt: < .1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10
MG/M3 TDUST; 9596

Ingred Name:LEAD (SARA 313) (CERCLA)
CAS:7439-92-1
RTECS #:OF7525000
Fraction by Wt: < .01%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE 1910.1025
ACGIH TLV:0.05MG/M3, A3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Other REC Limits:NONE RECOMMENDED

Ingred Name:TIN
CAS:7440-31-5
RTECS #:XP7320000
Fraction by Wt: < .01%
Other REC Limits:NONE RECOMMENDED
OS

HA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9596

Ingred Name:NICKEL (SARA 313) (CERCLA)
CAS:7440-02-0
RTECS #:QR5950000
Fraction by Wt: < .1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9596

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL, SOLVENT-REFINED HEAVY PARAFFINIC, MILDLY
HYDROTREATED (CARCINOGENIC - IARC)
CAS:64741-88-4
RTECS #:PY8
040500
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL, WHITE
CAS:8042-47-5
RTECS #:PY8047000
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:AS WITH MANY PETROLEUM PRODUCTS, MAY

CAUSE MINOR SKIN, EYE AND LUNG IRRITATION, BUT GOOD HYGIENIC
PRACTICES CAN MINIMIZE THESE EFFECTS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.

Effects of Overexposure:SKIN IRRITATION, EYE IRRITATION, LUNG
IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUS

H WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.
WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL
ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET
MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GIVE 2
GLASSES OF WATER IF CONSCIOUS. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COG
Flash Point:>410F,>210C
Low
Per Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND
CONTAINERS EXPOSED TO FIRE WITH WATER.
Unusual Fire/Explosion Hazard:PRODUCT OF COMBUSTION MAY CONTAIN CARBON
MONOXIDE, CARBON DIOXIDE AND OTHER TOXIC MATERIALS. DO NOT ENTER
ENCLOSED OR CONFINED SPACE WITHOUT PROPER PROTECTION.

=====

== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER
ABSORBENT MATERIAL. COLLECT FOR DISPOSAL. PREVENT MATERIAL FROM
ENTERING SEWERS, WATERWAYS OR LOW AREAS. USE APPROPRIATE PERSONAL
PROTECTIVE EQUIPMENT DURING CLEANUP.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED CONTACT WITH SKIN.
WASH
THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING PRIOR
TO USE. KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:STORE IN ORIGINAL CONTAINER USED FOR SHIPMENT. THIS
PRODUCT MUST BE USED UNDER THE SUPERVISION OF A TECHNICALLY
QUALIFIED INDIVIDUAL. ALL PERSONS USING THIS PRODUCT SHOULD USE
PRUDENT LABORATORY PRACTICES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS
Ventilation:EXHAUST VENTILATION

TION SUFFICIENT TO KEEP AIRBORNE
CONCENTRATIONS BELOW RESPECTIVE TLV'S.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO
PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE
AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NOTE TO PHYSICIAN: ACTIVATED CHARC
OAL MIXTURE MAY BE ADMINISTERED. TO

PREPARE ACTIVATED CHARCOAL MIXTURE, SUSPEND 50 GRAMS ACTIVATED
CHARCOAL IN 400 ML WATER AND MIX THOROUGHLY. ADMINISTER 5 ML/KG OR
350 ML FOR AN AVERAGE ADULT.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>599F,>315C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NEGLIGIBLE

Vapor Density:NOT GIVEN

Spec Gravity:0.6-0.9

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

A

pppearance and Odor:BROWN OILY LIQUID WITH NO DISTINCT ODOR

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES AND OTHER COMPOUNDS OF METALS THAT ARE PRESENT IN THE BLEND.

===== Disposal Considerations =====

==

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaim

s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.