

TACC INTERNATIONAL CORP. -- NEOPRENE SOLVENTBORNE ADHESIVE #MA212 --  
8040-00-262-9005

===== Product Identification =====

Product ID:NEOPRENE SOLVENTBORNE ADHESIVE #MA212

MSDS Date:07/08/1994

FSC:8040

NIIN:00-262-9005

MSDS Number: CDGYZ

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone

Num:617-878-7015

Emergency Phone Num:617-878-7015

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

===== Composition/Information on Ingredients =====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 20-50%

Other REC Limits:NONE SPECIFIED

OSHA PEL:50 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:ACETONE (SARA III) VP=182 MM HG @ 68F  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 5-20%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:750PPM  
ACGIH TLV:750PPM/1000STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) VP=78 MM  
HG @68F  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 5-20%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TOL  
UENE (SARA III) VP=22 MM HG @68F  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 1-5%  
Other REC Limits:C=300 PPM PEAK 500  
OSHA PEL:100 PPM/100 STEL  
ACGIH TLV:100 PPM;  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: ACUTE SIGNS OF  
OVEREXPOSURE COULD BE HEADACHE, DIZZINESS, NAUS  
EA, UPPER  
RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL DEPRESSION OR  
NARCOSIS, DIFFICULTY IN BREATHING. CHRONIC EFFEC TS OF OVEREXPOSURE  
TO SOLVENT VAPORS COULD LEAD TO PERMONENT NERVOUS SYSTEM/BODY  
ORGANS/BRAIN EFFECTS. USE \*\*  
Effects of Overexposure:\*\*WITH ADEQUATE VENTILATION. EYES: IRRITATION.  
INGESTION: MAY BE HARMFUL OR FATAL IF SWALLOWED. SKIN: REMOVAL OF  
SKIN OILS, IRRITATION, DERMATITIS, EVEN SENSITIZATION WITH  
OVEREXPOSURE.

=====

First Aid Measures =====

First Aid: INHALATION: GET FRESH AIR. EYES: IF NECESSARY CALL A PHYSICIAN. FLUSH WITH WATER FOR AT LEAST 15 MINUTES, IF NECESSARY, CALL A PHYSICIAN. SKIN: WASH WITH MILD SOAP AND WATER APPLY A MILD CREAM. INGESTION: CALL POISON CENTER IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: