

MAINTEX INC. -- LIME GO (HEAVY DUTY PHOSPHORIC) -- 7930-01-412-1017

=====
Product Identification
=====

Product ID:LIME GO (HEAVY DUTY PHOSPHORIC)

MSDS Date:09/08/1995

FSC:7930

NIIN:01-412-1017

MSDS Number: CDHLB

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Emergency Phone Num:800-255-39

24

Preparer's Name:ALI ABYANE

CAGE:NO277

=== Contractor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0AWE2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

=====
Composition/Information on Ingredients
=====

Ingred Name:PHOSPHORIC ACID (SARA 313) (CERCLA)

CAS:7664-38-2

RTECS #:TB6300000

Fraction by Wt: 25-

30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:1 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA)
CAS:107-21-1
RTECS #:KW2975000
Fraction by Wt: 1-4%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:C 50 PPM,VAPOR; 9495
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Hea

lth Hazards Acute and Chronic:EYE: IRRIT/POSSIBLE BURNS DEPENDING ON
LENGTH CONTACT. SKIN: CHRONIC: MAY CAUSE IRRIT/POSSIBLE BURNS.
INHAL: IRRIT/BURNS W/EXTENDED CONTACT. BREATHING HIGH
CONCENTRATIONS VAPOR MISTS/SPRAY COMPOUND MA Y CAUSE IRRIT.
INGESTION: MAY CAUSE BURNS TO MOUTH. IRRITATES
THROAT/ESSOPHAGUS/DIGESTIVE TRACT. MAY RESULT IN NAUSEA/*

Effects of Overexposure:*VOMITING. CHRONIC: MODERATELY TOXIC BY
INGESTION/REPEATED INHALATION. CAUSES BURNS TO EXPOSED TISSUE
W/CHRONIC CONTACT.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER >15 MINUTES. CALL
DR. SKIN: WASH W/SOAP & WATER. WASH CONTAMINATED CLOTHES BEFORE
REUSE. INHALATION: MOVE TO FRESH AIR. IF TROUBLE BREATHING GIVE
OXYGEN. CALL DR. INGESTION: GIVE PLENTY OF WATER. DON'T INDUCE
VOMITING. CALL DR.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>2

12F,>100C

Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POS PRESSURE SCBA
W/FULL FACEPIECE.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE (>55 GL): WEAR RUBBER BOOTS, GLOVES,
APPROPRIATE RESPIRATOR/PROTECTIVE CLOTHING. SHUT OFF LEAK SOURCE IF
SAFE. DIKE/CONTAIN SPILL. SMALL: MOP UP & RINSE AREA.

===== Handling and Storage =====

Hand
ling and Storage Precautions:STORE IN ORIGINAL POLYETHYLENE
CONTAINERS IN COOL DRY AREA AWAY FROM BLEACH/OTHER CHEMICALS.
CAUTION: CORROSIVE. CONTAINS PHOSPHORIC ACID. WILL BURN.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. DON'T GET IN EYES, ON
SKIN OR CLOTHING. DO NOT TAKE INTERNALLY AVOID BREATHING MISTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED IF PROPERLY DILUTED.
Ventilation:MECHANICAL LOCAL EXHAUST AT POINT O
F CONTAMINANT RELEASE.
Protective Gloves:RUBBER DECREASES SKIN DRYNESS/IRRITATION
Eye Protection:CHEM GLASSES ADVISED ESPEC W/CONCENTRATE
Other Protective Equipment:EYEWASH, PROTECTIVE CLOTHING
Supplemental Safety and Health
IT IS IMPORTANT TO DETERMINE WHETHER EXPOSURE IS TO CONCENTRATE OR
DILUTE PRODUCT. GENERALLY EXPOSURE TO DILUTED PRODUCT RESULTS IN
SUBSTANTIALLY LESS RISK OF INJURY THAN DESCRIBED IN HEALTH HAZARDS.

===== Physical/Chemical Properties =====

==

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text: