View NSN Online: https://aerobasegroup.com/nsn/8030-00-419-8538

## 

Product ID:PR-1436 G SPRAYABLE #1436G168

MSDS Date:06/12/1996

FSC:8030

NIIN:00-419-8538

Kit Part:Y

MSDS Number: CDKJS === Responsible Party === Company Name: COURTAULDS

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:

800-424-9300 CHEMTREC/800-228-5635 Preparer's Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM DICHROMATE (SARA 313) (CERCLA)

CAS:10588-01-9 RTECS #:HX7700000 Fraction by Wt: 10.0%

Other REC Limits: NONE RECOMM

**ENDED** OSHA PEL:0.1 MG/M3 STEL ACGIH TLV:0.05 MG/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name:DIMETHYL ACETAMIDE (VP = 2.0) CAS:127-19-5 RTECS #:AB7700000 Fraction by Wt: 25.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:10 PPM SKIN **ACGIH TLV:10 PPM SKIN** Ingred Name: CALCIUM DICHROMATE (SARA 313) CAS:14307-33-6 RTECS #:HX7630000 Fraction by Wt: 20.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:0.1 MG/M3 STEL ACGIH TLV:0.05 MG/M3 AS CR Ingred Name: WATER (NON-HAZARDOUS) CAS:7732-18-5 **RTECS** #:ZC0110000 Fraction by Wt: NA Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: BURN/TEAR/RED/TRANSIENT CORNEA INJURY. SKIN: HARMFUL/RAPID ABSORPTION. INHAL: LIVER/KIDNEY DAMAGE. CHRONIC: MAY CAUSE PENETRATING ULCERS TO SKIN/MUCOUS MEMBRANES OF NOSE/PERFORATION OF CARTILAGIN OUS NASA L SEPTUM First Aid:EYE: FLUSH W/LUKE WARM WATER FOR 15 MIN. CALL DR. SKIN: WASH W/SOAP AND WATER. CALL DR. INHAL: REMOVE TO FRESH AIR. GET MED AID. INGEST: CALL DR. Flash Point:>200F,>93C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures: USE COMPLETE PERSONAL PROTECTION.

====== Accidental Rele

N	Measures								
a.>c 1	พธดอนเธอ	 	 	 _	 	_	_	_	_

Spill Release Procedures:DIKE/COVER SPILL W/NONOXIDIZABLE ABSORBENT. SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON RESIDUE. WORK INTO RESIDUE. CLEAN AREA W/WATER. CERCLA RQ FOR SODIUM DICHROMATE IS 10 LBS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBOURNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV USE ORGANIC VAPOR CARTRIDGE O

R AIR-SUPPLIED RESPIRATOR.

Ventilation: GENERAL TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves: NITRILE, BUTYL, NATURAL RUBBER

Eye Protection: CHEMICAL GOGGLES OR FULL FACE SHIELD

Other Protective Equipment:GLOVES NOT ADEQUATE PROTECTION FROM IMMERSION. PROTECT SKIN W/NITRILE/BUTYL, RUBBER OR POLYETHYLENE APRON OR COVERALLS.

Work Hygienic Practices: AVOID ALL SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING/BEFORE SMOKING OR EATING.

Supplemental Safety and Health

NK

Boiling Pt:B.P. Text:212 TO 331F

Vapor Density:>AIR Spec Gravity:1.259

pH:NA

Viscosity:20 CP@10 RPM

Evaporation Rate & Dr. Reference: NOT AVAILABLE

Solubility in Water:SLIGHT

Appearance and Odor:BROWNISH YELLOW LIQUID

Percent Volatiles by Volume:86.7

Corrosion Rate:NA

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES EASILY OXIDIZABLE MATERIALS.

Hazardous Decomposition Products:OXIDES OF

## CARBON & NITROGEN, CHROMIUM COMPOUNDS

======= Disposal Considerations ===========

Waste Disposal Methods: EPA #D007 HAZ WASTE. DISPOSE IN COMPLIANCE W/FEDERAL & STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclai

ms all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.