View NSN Online: https://aerobasegroup.ae/nsn/6850-01-435-5659

Product ID:VERTREL XF MSDS Date:08/04/1995 FSC:6850 NIIN:01-435-5659 MSDS Number: CDKTV === Responsible Party === Company Name: DUPONT E I DE NEMOURS & CO, INC, POLYMER PRODUCTS Address:1007 N MARKET ST **City:WILMINGTON** State:DE ZIP:19898 Country:US Info Phone Num:800-441-9442/302-9 99-4946 Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC) CAGE:9V583 === Contractor Identification === Company Name: DUPONT E I DE NEMOURS AND CO INC, POLYMER PRODUCT-TEFLON CO. Address:1007 MARKET ST Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:800-523-0372/346-4748 CAGE:9V583 Ingred Name:1,1,1,2,3,4,4,5,5,5-DECAFLUOROPENTANE

CAS:138495-42-8 Fraction by Wt: 99% Other REC Limits:AEL 200 PPM (MFR)

======

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS, RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYE IRRITATION & PAIN. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DEFATTING. INHALATION MAY CAUSE SUFFOCATION, CNS STIMULATION FO LLOWED BY DEPRESSION. HARMFUL

IF INGESTED. MAY CAUSE VOMITING. ASPIRATION HAZARD. CHRONIC- MAY CAUSE ITCHING OR RASHES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN RASH AND ITCHING, IRRITATION, DIZZINESS, NERVOUSNESS, TREMORS, HEADACHE, DEPRESSION, CONFUSION, INSOMNIA, WEAKNESS, PAIN, DIARRHEA, NAUSEA, VOMITING, BLURRED VISION Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO TH

E EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONSCIOUS, DRINK 2 GLASSES OF WATER. SEEK IMMEDIATE MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF VOMI TUS INTO LUNGS.

Flash Point Method:TOC Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE M ODE. Unusual Fire/Explosion Hazard:TOXIC MATERIALS MAY BE FORMED. CONTAINERS MAY RUPTURE.

Spill Release Procedures: PREVENT SKIN AND EYE CONTACT. VENTILATE AREA. REMOVE OPEN FLAMES AND HOT SURFACES. SOAK UP SPILL WITH SAWDUST, OIL DRY OR OTHER ABSORBENT MATERIAL. COLLECT AND PLACE IN A SUITABLE CONTAINER FOR DISPOS AL. WASH SPILL SITE WITH WATER. Neutralizing Agent:NOT RELEVANT

====== Handling a

Handling and Storage Precautions:STORE IN COOL, WELL-VENTILATED AREA
AWAY FROM OPEN FLAMES AND INCOMPATIBLE MATERIALS. KEEP CONTAINER
TIGHTLY CLOSED. AVOID TEMPERATURES ABOVE 125F/52C
Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING
AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF

CHILDREN. AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT DISPE NSE FROM ITS CONTAINER BY POURING.

=====

====== Exposure Controls/Personal Protection =========

Respiratory Protection: IF WORKING IN A CONFINED AREA OR FIGHTING FIRE, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR RESPIRATOR WITH FULL FACEPIECE, OPERATED IN POSITIVE PRESSURE MODE.

Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.

Protective Gloves: RUBBER OR LATEX

Eye Protection: SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Ot

her Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT EAT/DRINK WHILE WORKING WITH THIS PRODUCT.

Supplemental Safety and Health

NOTE TO PHYSICIAN:ACTIVATED CHARCOAL SLURRY, 50 GRAMS IN 400 ML WATER, MAY BE USED. ADMINSTER 5 ML/KG OR 350 ML FOR AN AVERAGE ADULT. CATECHOLAMINE DRUGS SHOULD BE USED WITH SPECIAL CAUTION. EMESIS/GA STRIC LAVAGE SHOULD NO

T BE USED UNLESS JUSTIFIED. ANTIBIOTICS SHOULD BE RESERVED FOR DOCUMENTED BACTERIAL PNEUMONIA.

HCC:N1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:131F,55C /apor Pres:226 @ 77F Spec Gravity:1.58 Bolubility in Water:INSOLUBLE Appearance and Odor:CLEAR COLORLESS LIQUID Percent Volatiles by Volume:99	
Stability and Reactivity Data	
Stability Indicator/Materials to Avoid:YES	
OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, ETC.	
Stability Condition to Avoid:OPEN FLAME, HIGH HEAT, GLOWING METAL	
Hazardous Decomposition Products:MAY FORM CARBON MONOXIDE, CARBON DIOXIDE, HYDROFLUORIC ACID, AND POSSIBLY CARBONYL FLUORIDE.	
======================================	

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. RECLAIM BY DISTILLATION.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.