

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX TERRAZZO M UNDERLAY COMP B --
5610-01-366-4776

=====
Product Identification
=====

Product ID:DEX-O-TEX TERRAZZO M UNDERLAY COMP B

MSDS Date:11/04/1985

FSC:5610

NIIN:01-366-4776

Kit Part:Y

MSDS Number: CDPKN

=== Responsible Party ===

Company Name:CROSSFIELD PRODUCTS CORP

Address:140 VALLEY ROAD

City:ROSELLE PARK

State:NJ

ZIP:07204-1402

Country:US

Info Phone Nu

m:908-245-2800 / FAX 908-245-2583

Emergency Phone Num:908-245-2800

CAGE:88167

=== Contractor Identification ===

Company Name:CROSSFIELD PRODUCTS CORP

Address:140 VALLEY ROAD

Box:City:ROSELLE PARK

State:NJ

ZIP:07204-1402

Country:US

Phone:908-245-2800

CAGE:88167

=====
Composition/Information on Ingredients
=====

Ingred Name:MODIFIED POLYAMIDE AMINE EPOXY HARDENER

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 M

ixture:NOT EST.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: BURNING. INHALATION: BURNING TO NOSE, THROAT. SKIN: BURNING, DEFATTING, DIZZINESS, NAUSEA.

=====
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYE: FLUSH W/WATER. CALL DR.
SKIN: WASH W/SOAP & WATER. INGESTION: DO NOT INDUCE VOMITING. CALL DR.

=====
= Fire Fighting Measures =====

Flash Point:200F,93C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:CO2, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SCBA.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SPREAD ABSORBENT OVER SPILL. PLACE IN CLOSED CONTAINER. REMOVE IGNITION SOURCES.

=====
===== Handling and Storage ==
=====

Handling and Storage Precautions:STORE IN COOL DRY AREA.

Other Precautions:AVOID INHALATION OF HEATED VAPORS & SPRAY MISTS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH RESPIRATOR IF VENTILATION IS POOR

Ventilation:LOCAL EXHAUST, MECHANICAL GENERAL.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:AS NEEDED TO PROTECT SKIN.

Supplemental Safety and Health

NK

=====

== Physical/Chemical Properties ==

Boiling Pt:B.P. Text:NA
Vapor Pres:NA
Vapor Density:NOT EST.
Spec Gravity:1.01
Evaporation Rate & Reference:NA
Solubility in Water:NEGLIGIBLE
Appearance and Odor:PALE STRAW LIQUID, MODERATE AMINE ODOR
Percent Volatiles by Volume:0

== Stability and Reactivity Data ==

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH TEMPERATURES
Hazardous Decomposition Products:EPOXY RESINS IN UNCONTROLLED
CONDITIONS

== Disposal Considerations ==

Waste Disposal Methods:IN SANITARY LANDFILL ACCORDING TO LOCAL, STATE,
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disc
laims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.