View NSN Online: https://aerobasegroup.ae/nsn/1377-01-016-3209

Product ID:50595-379A MILD SHIELDED, DETONATING CORD ASSEMBLY MSDS Date:03/17/1995 FSC:1377 NIIN:01-016-3209 MSDS Number: CDQBJ === Responsible Party === Company Name: OEA AEROSPACE INC. Address: HWY 12 AND ET RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US In fo Phone Num:707-422-1880 Emergency Phone Num:707-422-1880 Preparer's Name:SCHOOLFIELD/J KOHRING CAGE:17610 === Contractor Identification === **Company Name:OEA AEROSPACE INC** Address:3530 BRANSCOMBE RD Box:KK City:FAIRFIELD State:CA ZIP:94533-0659 Country:US Phone:707-422-1880 CAGE:17610

======= Composition/Information on Ingredients ==========

Ingred Name:DIPAM	(HEXANITROBIPHENYL)
-------------------	---------------------

Ingred Name: HEXANITROSTILBENE I

Ingred Name:X-CHORD, 2.5 GRAINS/FT, SILVER SHEATH

\_\_\_\_\_

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION TO THE NOSE, THROAT & MUCOUS MEMBRANES, MAY CAUSE ALLERGIC REACTIONS. SKIN/EYES: IRRITATION. INGESTION: TOXIC, MAY CAUSE DEATH. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, NAUSEA, REDNESS

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH IMMEDIATELY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Extinguishing Media:DON'T ATTEMPT TO EXTINGUISH. Fire Fighting Procedures:EVACUATE AREA. USE SELF CONTAINED FULL-FACE BREATHING APPARATUS TO CONTAIN RESULTING FIRE. Unusual Fire/Explosion Hazard:IF EXPOSED TO FIRE, THE UNIT MAY ACTUATE/EXPLODE.

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. COVER ANY LEAKS/EXPOSED MATERIAL W/VEGETABLE OIL & REMOVE FOR APPROVED DISPOSAL. USE FLAME RETARDANT CLOTHING, SAFETY GLASSES & NON-SPARKING TOOLS.

Handling and Storage Precautions: THIS MSDS ISN'T INTENDED TO BE AN ORDNANCE HANDLING DOCUMENT.

======= Exposure Controls/Personal Protec

tion ===========

=

Respiratory Protection:USE NIOSH	APPROVED HEPA	<b>RESPIRATOR IF</b>	PEL/TLV IS
EXCEEDED.			

Ventilation:LOCAL EXHAUST FOR TEST FIRING.

Protective Gloves: POLY BENZ IMIDAZOLE

Eve Protection:SAFETY GLASSES

Other Protective Equipment: FLAME RETARDANT COAT & GROUNDING STRAPS TO PREVENT ELECTROSTATIC DISCHARGE.

Supplemental Safety and Health

Solubility in Water:SLIGHT

======== Stability and Reactivity D

Stability Indicator/Materials to Avoid:YES ALKALIS, ACIDS, COPPER, BRONZE, CORROSIVES & OXIDIZERS Stability Condition to Avoid:MECHANICAL SHOCK, STATIC ELECTICITY, HEAT, FLAME/SPARKS Hazardous Decomposition Products:CO, NITROGEN, NITROUS OXIDES,

HYDROGEN, CARBON, CO2, WATER

Waste Disposal Methods:UNFIRED UNITS/WASTE SHOULD BE DISPOSED AS REACTIVE (D003) & TOXIC (D011) HAZARDOUS WASTE. DISPOS E OF IN

ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for th e suitability of this information to their particular situation.